Index to Volume 119

The Auk 119(4):1219–1246, 2002

COMPILED BY ROSE ANN BARNHILL, ERIC WATKINS, AND BRADLEY R. PLUMMER

The index is confined primarily to new information. New specific names are printed in **boldface** type.

abandonment, 244–250, 1126–1132
Able, Kenneth P., review by, 874–875
Abraham, Kenneth F., see Badzinski, Shannon S., et al.
abundance, 321–334, 414–425
Acanthiza ewingii, 596–602
A. pusilla, 596–602
Accipiter albogularis, 883–888
A. gentilis, 321–334, 790–799, 1132–1137, 1179–1186
A. imitator, 883–888
A. nisus, 735–748, 790–799, 1179–1186
A. striatus, 1126–1132
A. badius, 1179–1186
A. brevipes, 1179–1186
Acrocephalus agricola, 379–390
A. arundinaceus, 379–390, 561–566, 1179–1186
A. australis, 379–390
A. baeticatus, 379–390
A. bistrigiceps, 379–390
A. dumetorum, 379–390, 1179–1186
A. melanopogon, 379–390
A. orientalis, 379–390
A. paludicola, 379–390
A. palustris, 379–390, 1179–1186
A. schoenobaenus, 201–209, 379–390
A. scirpaceus, 379–390, 1179–1186
A. sechellinsis, 379–390
A. stentoreus, 1179–1186
A. stentotorus, 883–888
A. vaughani, 379–390
adaptation, 210–213, 658–675, 1024–1035; —— hypothesis, 658–675
adaptive function, 943–954; —— response, 1132–1137; —— variation, 864–871
adrenocorticotrophic hormone, 1167–1173
adult, 922–928, 1010–1023; —— associated dispersal, 109–124; —— movements, 109–124 —— survival, 1149–1154
Aedes albopictus, 929–942
Aegolius acadicus, 1154–1161, 1214–1215, 1214–1215
A. ridgwayi, 1214–1215
aerial, —— display, 1141–1149; —— foragers, 1173–1179; —— photography techniques, 1162–1166; —— survey, 18–25
Aerodramus bartschi, 897–906
Aethia cristatella, 1036–1051
Aethia psittacula, 1036–1051
A. pusilla, 943–954, 1036–1051
A. pygmaea, 943–954, 1036–1051
Agapornis roseicollis, 897–906
age, 544–550, 676–684, 922–928; —— class, 1010–1023; —— of breeding, 735–748; female ——, 1137–1141
Agelaius cyanopus, 695–714
A. phoeniceus, 335–348, 379–390, 461–472, 561–566, 695–714, 851–854
aggression, 487–497, 566–572
agricultural land, 240–243
Aimophila aestivalis, 71–87
A. carpalis, 1010–1023
A. cassinii, 1010–1023
aircraft damage, 587–595
Aitken, K. E. H., et al., Nest-site reuse patterns for a cavity-nesting bird community in interior British Columbia, 391–402
Aix galericulata, 403–413, 1179–1186
A. sponsa, 62–70, 403–413, 1091–1103
Ajaia ajaja, 897–906
Akaike's Information Criterion, 46–53, 132–148, 149–165
Akepa, Hawaii, 166–174, 929–942, 1206–1208
Alabama, 201–209
Alala, 1206–1208
Alaska, 36–45, 228–233, 498–506, 685–694, 996–1009, 1036–1051
Alauda arvensis, 596–602
A. gulgula, 596–602
A. japonica, 596–602
Albatross, Amsterdam Island, 88–108; Black-browed, 88–108; Black-footed, 88–108; Buller's, 88–108; Grey-headed, 88–108; Laysan, 88–108; Light-mantled, 88–108; Royal, 88–108; Short-tailed, 88–108; Shy, 88–108; Sooty, 88–108; Wandering, 88–108; Wandering, 827–832; Wandering, 1064–1074; Waved, 88–108; Yellow nosed, 88–108
albumen, 1091–1103
Alca torda, 1179–1186, 1211–1213
Aleixo, Alexandre, and Whitney, Bret M., *Dendroplex* (=*Xiphorhynchus*) *necopinus* Zimmer 1934 (Den-

drocolaptidae) is a junior synonym of *Dendornis kienerii* (=*Xiphorhyncus picus kienerii*) Des Murs 1855, 520–523
Aleixo, Alexandre, Molecular systematics and the role of the "várzea"-"terra-firme" ecotone in the diversification of *Xiphorhynchus* woodcreepers (Aves: Dendrocolaptidae), 621–640
Alisauskas, Ray T., see Anderson, Vanessa R., and ——
Allenia fusca, 897–906, 897–906
allopatry, 996–1009
Alonso, José Alvarez, see Isler, Morton L., et al.
altricial, 62–70, 800–807; —— species, 221–227
Amakihi, Hawaii, 929–942; Oaha, 1206–1208
Amazilia bangsi, 897–906
A. alfaroana, 897–906
A. amabilis, 1141–1149
A. amazilia, 1141–1149
A. candida, 1141–1149
A. cyanifrons, 897–906
A. cyanifrons alfaroana, 897–906
A. decora, 1141–1149
A. franciae, 1141–1149
A. versicolor, 1141–1149
A. viridifrons, 897–906
A. wagneridayi, 897–906
Amazon, 362–378, 520–523, 621–640
Amazona farinosa, 658–675
A. leucocephala hesterna, 1213–1214
A. ventralis, 984–995
A. viridigenalis, 897–906
Amblycercus holosericeus, 335–348, 695–714
amino acids, 185–200
Ammodramus henslowii susurrans, 271–279
A. maritimus, 149–165
A. savannarum, 271–279, 556–560, 695–714
Amphispiza belli, 26–35
amplification, 984–995
Anabatea ailes sombres, 897–906
analytic description, 1179–1186
Anas acuta, 403–413, 498–506, 1179–1186, 1206–1208
A. americana, 403–413
A. bahamensis, 403–413
A. carolinensis, 897–906
A. castanea, 403–413
A. clypeata, 403–413, 1179–1186
A. crecca, 403–413, 897–906, 1179–1186
A. cyanoptera, 403–413
A. discors, 403–413
A. flavirostris, 403–413
A. fulvigula, 403–413
A. georgica, 403–413
A. gibberifrons, 403–413
A. laysanensis, 1206–1208
A. penelope, 403–413, 895–896
A. platyrhynchos, 149–165, 261–266, 1075–1090, 1179–1186, 1206–1208, 403–413
A. rhyncotis, 403–413
A. sibilatrix, 403–413
A. sparsa, 403–413
A. strepera, 1179–1186
A. superciliosa, 403–413
A. undulata, 403–413
A. versicolor, 403–413
A. wyvilliana, 1206–1208
anatomy, 621–640, 1052–1063
Andersen, David E., see Manolis, James C., et al.
Anderson, Betty A., see Sedinger, James S., et al.
Anderson, D. J., see Friesen, V. L., et al.
Anderson, Daniel W., see Jehl, Joseph R., Jr., et al.
Anderson, David R., see Rosenstock, Steven S., et al.
Anderson, Michael G., see Arnold, Todd W., et al.
Anderson, Vanessa R., and Alisauskas, Ray T., Composition and growth of King Eider ducklings in relation to egg size, 62–70
Anhinga, 875–877
Anhinga melanogaster, 1179–1186
A. rufa, 875–877
Ankney, C. Davison, see Badzinski, Shannon S., et al.
Ankney, C. Davison, see Thompson, Jonathan E., and ——
Anser albifrons, 996–1009, 1179–1186
A. anser, 403–413, 1167–1173, 1179–1186
A. brachyrhynchus, 1179–1186
A. caerulescens, 603–620, 735–748, 800–807
A. domesticus, 1167–1173
A. erythropus, 1179–1186
A. fabalis, 1179–1186
A. indicus, 403–413
A. rossi, 603–620
Antarctica, 266–270
antbird, 349–361, 362–378
Anthus berthelotii, 1179–1186
A. campestris, 1179–1186
A. cervinus, 1179–1186
A. gustavi, 1179–1186
A. pratensis, 1179–1186
A. similis, 1179–1186
A. spinoletta, 1179–1186
A. trivialis, 1179–1186
Antilophia galeata, 1114–1120
Anurolimnas castaneiceps, 943–954
AOU Check-list Supplement, Forty-third, 897–906
AOU Conservation Committee, 907–913
Apapane, 929–942
Aphantochroa cirrhochloris, 1141–1149
Aphelocoma californica, 790–799
A. coerulescens, 889–892
Aptenodytes forsteri, 88–108, 1064–1074
A. patagonicus, 88–108
Apteryx australis, 1179–1186
Aquila chrysaetos, 1179–1186
A. clanga, 1179–1186
A. heliaca, 1179–1186
A. pomarina, 1179–1186
A. rapax, 1179–1186
A. verreauxii, 1179–1186
Ara macao, 658–675

Aratinga finschi, 897–906
A. mitrata, 897–906
Arcese, Peter, see Chan, Yvonne, and ——
Archaeopteryx, 1–17, 943–954, 1187–1201
Archosauria, 1–17
Ardea alba, 552–556
A. cinerea, 1179–1186
A. herodias, 812–814
area count, 46–53
area sensitivity, 240–243, 271–279
Arenaria interpres, 36–45
A. melanocephala, 1179–1186, 1179–1186
Arizona, 46–53, 321–334, 349–361, 1149–1154
Arnold, Todd W., et al., Continuous Laying and clutch-size limmitation in mallards, 261–266
Artamus leucorhynchus, 1209–1210
A. mentalis, 1209–1210
arthropod, abundance, 210–213; —— availability, 71–87
Asio flammeus, 1214–1215
A. otus, 1214–1215
A. stygius, 897–906
Atthis heloisa, 1141–1149
Attila cinnamomeus, 715–734
A. spadiceus, 715–734
Auk, Great, 283–283, 1211–1213
Auklet, Cassin's, 1036–1051; Crested, 1036–1051; Least, 1036–1051; Parakeet, 1036–1051; Rhinoceros, 1036–1051; Whiskered, 1036–1051
Australia, 175–184
avian, digits, 1187–1201; —— diseases, 929–942; —— distribution patterns, 271–279 —— energetics, 1173–1179; —— growth, 221–227; —— growth rates, 221–227; —— mating systems, 379–390; —— populations, 18–25; —— pox, 929–942; —— reproduction, 1–17
Aythya affinis, 62–70, 403–413, 1075–1090
A. americana, 403–413
A. australis, 403–413
A. collaris, 403–413
A. ferina, 1179–1186
A. fuligula, 1179–1186
A. marila, 1179–1186
A. nyroca, 1179–1186
A. valisineria, 62–70

Bäckman, Johan, see Sandberg, Roland, et al.
Badyaev, Alexander V., and Qvarnström, Anna, Putting sexual traits into the context of an organism: A life-history perspective in studies of sexual selection, 301–310
Badzinski, Shannon S., et al., Growth and development of prefledging Canada Geese and Lesser Snow Geese: Ecological adaption or physiological constraint, 221–227
Baeolophus atricristatus, 897–906
B. bicolor, 71–87, 897–906
B. wollweberi, 1149–1154
Baglione, Vittorio, et al., Cooperatively breeding groups of Carrion Crow (*Corvus corone corone*) in northern Spain, 790–799
Baja California, 26–35
Baker, Douglas E., A geometric method for determining shape of bird eggs, 1179–1186
Ball, Ron O., see Herbert Craig E., et al.
Baltosser, William H., review by, 877–880
Bambiraptor, 1–17
banding, 125–131, 132–148, 149–165, 175–184, 349–361, 487–497, 770–777, 1154–1161; —— stations, 1154–1161
Banks, Richard C., et al., Forty-third supplement to the American Ornithologists' Union *Check-list of North American Birds*, 897–906
Barbault, Robert, see Selmi, Slaheddine, et al.
Barbosa, A., et al., Effects of feather lice on flight behavior of male Barn Swallows (*Hirundo rustica*), 213–216
Barn-Owl, Galapagos, 1214–1215
Bart, Jonathan, and Earnst, Susan, Double sampling to estimate density and population trends in birds, 36–45
Bart, Jonathan, see Harrington, Brian A., et al.
Bartramia longicauda, 271–279
basal metabolic rate, 54–61, 437–445
basic plumage, 922–928
Basileuterus culicivorus, 695–714
B. flaveolus, 695–714
B. rufifrons, 695–714
B. triistriatus, 695–714
Batrachostomus harterti, 873–874
Beehler, Bruce M., et al., In Memoriam: S. Dillon Ripley, 1913–2001, 1110–1113
Beehler, Bruce M., review by, 873–874
Begazo, Alfredo, see Isler, Morton L., et al.
behavior, 88–108, 109–124, 149–165, 487–497, 1024–1035, 1075–1090, 1149–1154; antiparasite ——, 556–560; —— patterns, 507–509, 996–1009; adaptive ——, 379–390; brooding ——, 1064–1074; copulatory ——, 770–777; egg–destroying ——, 461–472; evolution of ——, 790–799; facultative responses of ——, 1167–1173; feeding ——, 437–445; flight ——, 213–216; foraging ——, 71–87, 166–174, foraging, 175–184; hunting ——, 1052–1063; paternity-assurance ——, 228–233; reproductive ——, 1–17, 840–845; social
behavioral, diversity, 715–734
Beipiaosaurus, 1–17
Belgium, 487–497
Bellocq, I., see McMartin, B., et al.
Bennun, Leon, and Njoroge, Peter, Important Bird Areas in Kenya (rev.), 1208–1209
Benoit, Rejean, see Robert, Michel, et al.
Bermingham, E., see Lovette, I. J., and ——
Bertellotti, Marcelo, see Borboroglu, Pablo García, et al.

Berthold, Peter, Bird Migration: A General Survey, 2nd edition (rev.), 874–875
bet-hedging theory, 149–165
bias, 18–25, 36–45, 46–53
bill color, 487–497; —— form, 864–871; —— length, 922–928; —— shape, 864–871; —— size, 864–871
biodiversity, 641–657
biogeography, 88–108, 281–282
biological species concept, 362–378
biomechanics, 1052–1063
biomonitoring program, 185–200
biparental care, 515–519
bird community, 271–279; —— conservation, 914–921; —— conservation regions, 907–913; —— dispersal, 778–789; —— hazard, 587–595; —— origins, 1187–1201; —— population, 18–25; —— studies, 1064–1074; —— surveys, 18–25
Bird of Paradise, 880–881
Birdsley, Jeffery, Phylogeny of the tyrant flycatchers (Tyrannidae) based on morphology and behavior, 715–734
Bittern, Least, 882–883
Biziura lobata, 403–413
Blackbird, Brewer's, 556–560; Eurasian, 533–539; Eurasian, 1091–1103; European, 735–748; Red-winged, 379–390, 461–472, 561–566, 851–854; Yellow-headed, 461–472
Blackcap, 175–184
Blake, John G., and Loiselle, Bette A., Manakins (Pipridae) in second-growth and old-growth forests: Patterns of habitat use, movement, and survival, 132–148
Blomqvist, Donald; et al., Genetic parentage and mate guarding in the Arctic-breeding Western Sandpiper, 228–233
blood, 487–497; —— samples of birds, 1167–1173
Bluebird, Eastern, 71–87, 109–124, 391–402; Mountain, 391–402
Bobolink, 271–279
Bobwhite, Northern, 71–87, 426–436
body, 1010–1023; —— composition, 62–70; —— condition, 185–200; —— condition index, 1154–1161; —— mass, 54–61, 221–227, 437–445, 1121–1126; —— size, 185–200, 832–835, 922–928
Boersma, P. Dee, see Borboroglu, Pablo García, et al.
Boisson, Guy, see Penteriani, Vincenzo, et al.
Bolivia, 749–769
Bollinger bodies, 929–942
Bombycilla cedrorum, 851–854
Bonasa bonasia, 1179–1186
Boness, Daryl J., see Paredes, Rosana, et al.
Bonhomme, François, see Crochet, Pierre-Andre, et al.
Booby, Abbott's, 820–826; Blue-footed, 820–826; Brown, 820–826; Masked, 820–826; Nazca, 820–826; Peruvian, 820–826; Red-footed, 820–826; Red-footed, 1213–1214
Borboroglu, Pablo García, et al., Habitat use and breeding distribution of Magellanic Penguins in northern San Jorge Gulf, Patagonia, Argentina, 233–239
Borneo, 873–874
Bostwick, Kimberly S., and Brady, Matthew J., Phylogenetic analysis of wing feather taxis in birds: Macroevolutionary patterns of genetic drift?, 943–954
Both, C., see Lessells, C. M., et al.
Boulinier, Thierry, see Selmi, Slaheddine, et al.
Boyd, W. Sean, see Jehl, Joseph R., Jr., et al.
Brachyramphus marmoratus, 820–826
B. perdix, 820–826
Bradley, Patricia E., The Birds of the Cayman Islands: An Annotated Check-list (rev.), 1213–1214
Brady, Matthew J., see Bostwick, Kimberly S., and ——
Brant, 403–413; Atlantic, 510–515; Black, 510–515, 996–1009
Branta bernicula, 403–413, 510–515, 996–1009, 1179–1186
B. canadensis, 221–227, 403–413, 587–595, 996–1009, 1179–1186
B. leucopsis, 1179–1186
B. ruficollis, 403–413
B. sandvicensis, 403–413, 1206–1208
Bray-Curtis index, 71–87
Brazil, 362–378, 815–819, 1114–1120
breeding, 166–174, 426–436, 446–460, 533–539, 544–550, 676–684, 685–694, 770–777, 790–799, 1137–1141, 1162–1166; —— attempts, 515–519; —— biology, 379–390, 770–777, 1036–1051; —— colonies, 233–239; —— cycle, 244–250; —— experience, 244–250; —— grounds, 922–928, 1137–1141; —— performance, 735–748, 1091–1103; —— population, 544–550; —— regions, 1075–1090; —— season, 109–124, 125–131, 1149–1154, 1173–1179; —— site, 523–528, 1064–1074; —— success, 233–239, 266–270, 1149–1154
Breeding Bird Survey, 46–53, 778–789
Brennan, Leonard A., see Provencher, Louis, et al.
Brenninkmeijer, Alex, see Steinen, Eric W. M., and ——
Brewster Memorial Award, 2001: Stephen I. Rothstein, 280–281
Briggs, Susan V., see Coker, Christopher R., et al.
Brigham, R. M., see Davis, S. K., et al.
British Columbia, 685–694, 1075–1090
Brommer, Jon E., et al., Reproduction and survival in a variable enviroment: Ural Owls (*Strix uralensis*) and the three-year vole cycle, 544–550
brood parasitism, 280–281, 349–361, 561–566
brood patch, 54–61
brood reduction, 240–243
Brotogeris cyanoptera, 658–675
Brown, Charles R., et al., Colony choice in Cliff Swallows: Effects of hetrogeneity in foraging habitat, 446–460
Brown, Mark, see Downs, Coleen T., and ——

Brown, Mary Bomberger, see Brown, Charles R., et al.
Brown, Stephen C., see Harrington, Brian A., et al.
Bubalornis albirostris, 403–413
B. niger, 403–413
Bubo virginianus, 1052–1063, 1052–1063, 1179–1186
Bubulcus ibis, 587–595
Bucephala albeola, 391–402, 1075–1090
B. clangula, 403–413, 676–684, 1179–1186
B. islandica, 676–684, 1075–1090, 1179–1186
Buffalo-Weaver, 403–413; Red-billed, 403–413
Bufflehead, 391–402, 1075–1090
Bullfinch, Cuban, 1213–1214; Puerto Rican, 882–883
Bulweria bulwerii, 88–108, 897–906
B. fallax, 88–108
Bunting, House, 533–539; Indigo, 1126–1132; Lark, 556–560; Lazuli, 1010–1023; Painted, 778–789, 1010–1023
Burger, Joanna, and Fox, Glen A., In Memoriam: David B. Peakall, 1931–2001, 812–814
Buschat, Rufous, 533–539
bushtits, 808–810
Busse, Przemyslaw, Bird Station Manual (rev.), 290–291
Buteo buteo, 321–334, 790–799, 1179–1186
B. jamaicensis, 1052–1063, 1052–1063
B. lagopus, 1179–1186
B. lineatus, 1052–1063, 1052–1063
B. magnirostris, 658–675
B. platypterus, 1126–1132
B. rufinus, 1179–1186
Butler, Luke K., et al., Molt-migration in Western Tanagers (*Piranga ludoviciana*): Age effects, aerodynamics, and conservation implications, 1010–1023
Buzzard, 321–334, 790–799
Byrd, G. V., see Hunter, F. M., et al.

Cacatua galerita ophthalmica, 883–888
Caccamise, Donald F., In Memoriam: Ralph J. Raitt, 1929–2000, 809–810
Cacicus cela, 335–348, 658–675
C. melanicterus, 335–348
C. solitarius, 335–348, 695–714
Cacique, Yellow-rumped, 335–348
Cactornis hypoleuca, 864–871
Cactospiza pallida, 864–871, 864–871
C. p. pallida, 864–871
Cahill, Thomas, see Herzog, Sebastian K., et al.
Cairina moschata, 403–413
Calamospiza melanocorys, 556–560
Calcarius lapponicus, 695–714
C. ornatus, 556–560
Calidris alba, 1179–1186
C. alpina, 36–45, 228–233
C. himantopus, 36–45
C. mauri, 228–233, 437–445, 914–921, 922–928
C. melanotos, 36–45
C. minutilla, 437–445
C. pusilla, 36–45, 228–233, 437–445, 914–921
California, 26–35, 149–165, 311–320, 498–506, 641–657, 1162–1166
Callipepla californica, 321–334
Calonectris borealis, 897–906
C. diomedea, 88–108, 897–906, 1179–1186
C. leucomelas, 88–108
C. lucifer, 877–880, 1141–1149
Calypte anna, 877–880, 1141–1149
C. costae, 877–880, 1141–1149
Calyptophilus tertius, 897–906
Camarhynchus pallidus pallidus, 864–871
C. parvulus, 864–871
C. pauper, 596–602
C. psittacula, 596–602, 864–871
Campbell, R. Wayne, et al., Birds of British Columbia, volume 4: Wood-warblers Through Old World Sparrows (rev.), 293–295
Campyloptere pampa, 897–906
Campylopterus curvipennis, 897–906, 1141–1149
C. hemileucurus, 1141–1149
Campyloramphus falcularius, 621–640
C. procurvoides, 621–640
C. trochilirostris, 621–640
Canada, 62–70, 185–200, 391–402, 437–445, 587–595, 603–620, 922–928
Canestrari, Daniela, see Baglione, Vittorio, et al.
Cannings, Richard J., review by, 1214–1215
Canvasback, 62–70
capital breeder, 544–550
Capito niger, 658–675
C. aegyptius, 1179–1186
C. europacus, 1179–1186
C. nubicus, 1179–1186
captive feeding, 185–200
capture, estimates, 1154–1161; —— rates, 132–148
capture–recapture, 132–148; —— methods, 510–515; —— models, 778–789
Caracara cheriway, 897–906
Caracara du Nord, 897–906
Cardellina rubifrons, 695–714
Cardinal, Northern, 414–425, 895–896, 929–942
Cardinalis cardinalis, 414–425, 895–896, 929–942
Carduelis cabaret, 897–906
C. flammea, 897–906
C. pinus, 695–714
C. tristis, 71–87
Caribbean birds, 810–811, 820–826, 907–913
Carpodacus mexicanus, 301–310, 851–854, 929–942
Carr, Steve M., see Jones, Ian L., et al.
carrying capacity, 166–174
Carter, Michael F., Rosenstock, see Steven S., et al.
catastrophic disturbances, 1132–1137, 1162–1166
Catbird, Gray, 851–854, 895–896, 1010–1023
Catharacta maccormicki, 266–270
C. skua, 1179–1186
Catharopeza bishopi, 695–714
Cathartes aura, 426–436
C. aurantiirostris, 897–906

Catharus fuscescens, 414–425
C. guttatus, 71–87, 955–970, 971–983
C. ustulatus, 201–209, 685–694
Caudipteryx, 1–17
Celeus elegans, 658–675
C. flavus, 658–675
C. grammicus, 658–675
C. torquatus, 658–675
Centrocercus minimus, 897–906
Cephalopterus ornatus, 658–675
Cepphus grylle, 1179–1186
Cercomela melanura, 1179–1186
Cercotrichas galactotes, 533–539
Cereopis novaehollandiae, 403–413
Cerorhinca monocerata, 1036–1051
Certhidea olivacea, 864–871
Cervenka, Mora L., see Chaplin, Susan B., et al.
Ceryle alcyon, 895–896
Chaetura cinereiventris, 897–906
C. egregia, 897–906
C. fumosa, 897–906
C. martinica, 897–906
C. spinicauda, 897–906
Chaffinch, Common, 533–539, 566–572
Chan, Yvonne, and Arcese, Peter, Subspecific differentiation and conservation of Song Sparrows (*Melospiza melodia*) in the San Francisco Bay region inferred by microsatellite loci analysis, 641–657
Chaplin, Susan B., et al., Thermal environment of the nest during development of Tree Swallow (*Tachycineta bicolor*) chicks, 845–851
Charadrius alexandrinus, 515–519
Charadrius hiaticula, 596–602
C. vociferus, 228–233
C. semipalmatus, 596–602
Chasiempis sandwichensis, 929–942
Chat, Yellow-breasted, 851–854
Chelgren, Nathan D., see Sedinger, James S., et al.
Chelidoptera tenebrosa, 658–675
Chen caerulescens, 62–70, 221–227, 403–413
C. canagica, 996–1009
C. rossii, 62–70
Cheng, Kimberly M., see Coker, Christopher R., et al.
Chenonetta jubata, 403–413
Chickadee, Black-capped, 391–402, 1149–1154; Carolina, 71–87, 391–402; Mountain, 391–402
chickens, 426–436
chicks, 1036–1051, 1064–1074, 1121–1126
Chiffchaff, Mountain, 596–602
Chihuahua, 26–35
China, 596–602
Chiroxiphia pareola, 132–148
C. caudata, 984–995, 1114–1120
Chlamydotis undulata, 1179–1186
Chloephaga picta, 403–413
Chloroceryle americana, 984–995
Chloropeta natalensis, 379–390
Chlorophanes spiza, 658–675
Chlorospingus opthalmicus, 132–148
Chondestes grammacus, 271–279, 556–560
Chough, Alpine, 858–863
Christman, Beth J., Extreme between-year variation in productivity of a Bridled Titmouse (*Baeolophus wollweberi*) population, 1149–1154
Christmas Bird Count, 46–53
Christensen, Guttorm N., see Tveraa, Torkild, and ——
Chu, Miyoko, et al., Social and genetic monogamy in territorial and loosely colonial populations of Phainopepla (*Phainopepla nitens*), 770–777
Cicero, Carla, see Banks, Richard C., et al.
Ciconia ciconia, 1179–1186
C. nigra, 1179–1186
Cigliano, John A., see Hersek, Marta J., et al.
Cilimburg, Amy B., et al., Effects of dispersal on survival probability of adult Yellow Warblers (*Dendroica petechia*), 778–789
Circaetus gallicus, 1179–1186
circular plots, 971–983
Circus cyaneus, 587–595, 1179–1186
C. pygargus, 1179–1186
Cisticola juncidis, 533–539
Cistothorus apolinari, 523–528
C. meridae, 523–528
C. palustris, 461–472, 523–528
C. platensis, 523–528
clade, 603–620, 621–640, 695–714, 715–734, 943–954, 984–995
Claidris canutus, 149–165
Clangula hyemalis, 403–413
classes, 149–165
classification, 984–995
clearcutting, 955–970
climate, 321–334, 1132–1137
climax, 1132–1137
cloud forest, 1141–1149
clutch, 185–200, 149–165, 515–519, 914–921, 1091–1103; initiation dates, 228–233; —— size, 1–17, 54–61, 125–131, 149–165, 391–402, 735–748, 498–506, 510–515, 1149–1154; replacement, 228–233; —— volume, 1137–1141
clutch size, model, 228–233; —— determination, 261–266
Clytorhynchus hamlini, 883–888
c-myc, 984–995
Coates, Brian J., and Peckover, William S., Birds of New Guinea and the Bismarck Archipelago: A Photographic Guide (rev.), 284
Coccothraustes coccothraustes, 1179–1186
Coccyzus americanus, 658–675, 851–854, 1179–1186
C. erythropthalmus, 851–854
Coereba flaveola, 695–714
coevolution, 88–108, 301–310
Coker, Christopher R., et al., Intromittent organ morphology and testis size in relation to mating system in waterfowl, 403–413

Cokinos, Christopher, Hope is the Thing with Feathers: A Personal Chronicle of Vanished Birds (rev.), 574–577
Colaptes auratus, 391–402
Colibri coruscans, 1141–1149
C. thalassinus, 1141–1149
Colinus virginianus, 71–87, 426–436
Colius colius, 251–260
Collocalia esculenta, 658–675
C. vanikorensis, 658–675
colonial nesting, 461–472; —— goose, 996–1009
colonies, 185–200, 473–486, 770–777, 1036–1051
colony size, 446–460
Colorado, 46–53
Colorado Desert, 26–35
Columba asiatica, 897–906
C. goodsoni, 897–906
C. leucocephala, 882–883
C. livia, 213–216, 882–883
C. palumbus, 1179–1186
C. trocaz, 1179–1186
C. inornata, 882–883
C. passerina, 882–883
Committee on Classification and Nomenclature of North American Birds, 283–283
communication, 1141–1149
community, 533–539; —— composition, 971–983; —— ecology, 533–539; —— structure, 749–769, 1132–1137
competition, 210–213, 391–402, 658–675, 735–748, 1075–1090, 1154–1161, 1173–1179; —— hypothesis, 658–675
Condor, Californa, 812–814
Confuciusornis, 1–17
Conirostrum bicolor, 695–714
C. sitticolor, 695–714
Conpophaga lineata, 984–995
Conroy, Michael J., see Lang, Jason D., et al.
Conroy, Rachael M., see Ward, Andrea B., et al.
conservation, 641–657, 749–769, 907–913, 914–921, 929–942, 955–970, 1010–1023, 1036–1051, 132–148, 149–165; —— biology, 311–320, 1132–1137; —— by design, 907–913; —— plans, 271–279
Contopus sordidulus, 1010–1023
Conurus mitratus, 897–906
cooperative breeding, 379–390, 790–799
Coot, American, 62–70, 1121–1126
copulation, 403–413
Coracopis vasa, 403–413
Coragyps atratus, 1179–1186
Corapipo altera, 132–148
Cordillera del Condor, 362–378
Cormorant, 875–877; Pelagic, 820–826
corridor, 676–684, 528–532
Corven, James, see Harrington, Brian A., et al.
Corvus brachyrhynchos, 414–425, 587–595, 790–799, 889–892, 955–970
C. caurinus, 175–184
C. corax, 790–799, 1179–1186
C. corone corone, 790–799
C. frugilegus, 1179–1186
C. hawaiiensis, 1206–1208
C. monedula, 790–799, 1179–1186
C. ossifragus, 971–983
C. rhipurdis, 1179–1186
C. rufficollis, 1179–1186
C. tropicus, 929–942
Corythopsis delalandi, 984–995
Costa Rica, 132–148, 1024–1035
corticosterone, 1167–1173
Cotinga cayana, 658–675
Coturnicops noveboracensis, 895–896
Coturnix coturnix, 461–472
C. japonica, 487–497
Coues Award, 2001: Raymond A. Paynter, Jr. and Melvin A. Traylor, Jr., 281–282
courtship, 487–497, 770–777; —— display, 349–361; —— feeding, 515–519
Cowbird, Bronzed, 349–361, 855–858; Brown-headed, 240–243, 349–361, 556–560, 561–566, 280–281, 851–854, 855–858, 955–970, 271–279; Shiny, 855–858
Crane, White-naped, 832–835
Creeper, Hawaii, 929–942
Cristol, Daniel A., see Jenkins, Kendell D., and ——
Crochet, Pierre-Andre, et al., Systematics of large white-headed gulls: Patterns of mitochondrial DNA variation in western European taxa, 603–620
cropland, 498–506
Crow, American, 414–425, 587–595, 790–799, 889–892, 955–970; Carrion, 790–799; Fish, 971–983; Hawaiian, 929–942; Northwestern, 175–184
Cryptovolans pauli, 1187–1201
Cuckoo, Black-billed, 851–854; Common, 561–566; Yellow-billed, 851–854
Cuculus canorus, 561–566, 1179–1186
Culex quinquefasciatus, 929–942
Curlew, Eskimo, 907–913, 914–921
Cuthbert, Francesca J., see Manolis, James C., et al.
Cyanerpes caeruleus, 658–675
C. nitidus, 658–675
Cyanocitta cristata, 851–854, 955–970
Cyanocorax violaceus, 658–675
C. yncas, 790–799
Cyanopica cyana, 561–566
Cyanthus latirotris, 1141–1149, 1179–1186, 1179–1186
Cygnus atratus, 403–413
C. columbianus, 403–413, 1179–1186
C. cygnus, 1179–1186
C. olor, 403–413, 1179–1186
Cynanthus doubledayi, 897–906
C. latirostris, 897–906
cytochrome *b*, 88–108, 984–995

Dacelos gigas, 426–436
Dacnis cayana, 658–675
D. flaviventer, 658–675

Daption capense, 88–108
Darby, John T. see Massaro, Melanie, et al.
Davis, Lloyd S., see Massaro, Melanie, et al.
Davis, S. K., et al., Does egg rejection account for the low incidence of cowbird parasitism in Chestnut-collared Longspurs (*Calcarius ornatus*)?, 556–560
Davis, William E., Jr., and Jackson, Jerome A., Contributions to the History of North American Ornithology, volumes I, II (rev.), 574
Dawson, Deborah A., see Phillips, Richard A., et al.
De Lope, F., see Barbosa, A., et al.
De Ridder, Elke, et al., Short- and long-term effects of male-like concentrations of testerone on female European Starlings (*Sturnus vulgaris*), 487–497
Deeming, Charles (Ed.), Avian Incubation: Behaviour, Environment, and Evolution (rev.), 1210–1211
DeGraaf, Richard M., see Vander Haegen, W. Matthew, and ——
Deinonychus, 1–17
del Hoyo, Josep, et al., Handbook of the Birds of the World, volume 6 (rev.), 573–574
Del Valle, Hector, see Borboroglu, Pablo García, et al.
DeLay, Linda S., see Kelly, Jeffrey F., et al.
delayed plumage maturation, 1114–1120
Delgado, Francisco, see Nebel, Silke, et al.
demographics, 996–1009; —— studies, 778–789; —— parameters, 321–334
Dendrexetastes rufigula, 621–640
Dendrocincla fuliginosa, 658–675
Dendrocolaptes certhia, 621–640
Dendrocolaptidae, 621–640
Dendrocopus major, 391–402
Dendrocygna arcuata, 403–413
D. autumalis, 403–413
D. bicolor, 403–413
D. viduata, 403–413
Dendroica adelaidae, 882–883
D. caerulescens, 109–124, 414–425, 1173–1179
D. castanea, 216–220
D. discolor, 778–789, 1213–1214
D. fusca, 414–425
D. occidentalis, 1010–1023
D. pensylvanica, 271–279, 523–528
D. petechia, 149–165, 561–566, 695–714, 778–789, 851–854
D. pinus, 71–87, 695–714
D. striata, 658–675, 695–714
D. tigrina, 216–220, 695–714, 882–883
D. townsendi, 1010–1023
D. virens, 414–425
D. vitellina, 1213–1214
density, 996–1009, 1132–1137; —— dependence, 210–213, 996–1009, 1162–1166
detectability, 46–53, 414–425, 533–539, 749–769, 778–789
developmental biology, 1187–1201
Devries, James H., see Arnold, Todd W., et al.
Diamond, Anthony W., review by, 875–877
Diamond, Judy, Bond, Alan B., Kea: Birds of Paradox (rev.), 888–889
diastataxy, 943–954
Dicaeum trigonostigma, 695–714
Dickcissel, 556–560, 851–854
diet, 426–436, 473–486, 1075–1090; —— composition, 185–200; —— differentiation, 216–220; —— overlap, 216–220
dietary stress, 185–200
digital reduction, 1187–1201
Diglossa major, 695–714
Dingemanse, N. J., see Lessells, C. M., et al.
dinosaurs, 1–17, 1187–1201
Diomedea amsterdamensis, 88–108
D. antipodensis, 88–108
D. dabbenena, 88–108
D. epomorphora, 88–108, 88–108
D. exulans, 1064–1074, 88–108
D. gibsoni, 88–108
D. sanfordi, 88–108
disease, 166–174, 487–497
dispersal, 778–789, 790–799
displays, 1024–1035
distance sampling, 18–25, 46–53,–425
distrbution of birds, 414–425, 658–675, 922–928
disturbance, 1132–1137
Diving-Petrel, Common, 88–108; Magellanic, 88–108; Peruvian, 88–108; South Georgia, 88–108
DNA, 596–602, 770–777; —— fingerprinting, 228–233; —— sequences, 335–348, 695–714
DNA–DNA, 125–131; —— hybridization, 88–108, 984–995
Dobbs, Robert C., see Styrsky, John D., et al.
Dodson, Ronald G., Managing Wildlife Habitat on Golf Courses (rev.), 288–290
Dolichonyx oryzivorus, 695–714, 271–279
Donacobius atrecapilla, 897–906
Donacobius atricapillus, 897–906
Donahue, Michael G., see Butler, Luke K., et al.
double brood, 125–131, 244–250
double sampling, 36–45
double-observer method, 18–25
doubly labeled water, 1121–1126, 1173–1179
Dove, Mourning, 851–854; Palm, 533–539; Rock, 213–216, 882–883
Dowitcher, Long-billed, 36–45
Downs, Coleen T., and Brown, Mark, Nocturnal heterothermy and torpor in the Malachite Sunbird (*Nectarinia famosa*), 251–260
Drepanidinae, 166–174
Dromaius novaehollandiae, 1179–1186
Dryocopus pileatus, 391–402, 414–425
Duck, African Black, 403–413; Black-bellied Whistling, 403–413; Black-headed, 403–413; Blue-billed, 403–413; Freckled, 403–413; Fulvous Whistling, 403–413; Harlequin, 403–413, 403–413, 676–684; Hawaiian, 1206–1208; Laysan,

1206–1208; Long-tailed, 403–413; Mandarin, 403–413; Maned, 403–413; Masked, 403–413; Mottled, 403–413; Muscovy, 403–413; Musk, 403–413; Pacific Grey, 403–413; Pink-eared, 403–413; Ring-necked, 403–413; Ruddy, 403–413, 403–413; Salvadori's, 403–413; Torrent, 403–413; Wandering Whistling, 403–413; White-backed, 403–413; White-faced Whistling, 403–413; Wood, 62–70, 403–413, 1091–1103
ducks, 498–506, 507–509, 676–684; —— prairie-nesting, 261–266; —— temperate nesting, 1075–1090
Ducula aurorae, 883–888
Dumbacher, John P., review by, 880–881
Dumetella carolinensis, 851–854, 895–896, 1010–1023
Dunlin, 36–45, 228–233
Dunn, Jon L., see Banks, Richard C., et al.
Dunn, Peter O, see Whittingham, Linda A., et al.

Eagle, Bald, 832–835, 1154–1161; Booted, 790–799; Steller's Sea, 832–835
Earnst, Susan, see Bart, Jonathan, and ——
Easton, Wendy E., and Martin, Kathy, Effects of thinning and herbicide treatments on nest-site selection by songbirds in young managed forests, 685–694
ecological, constraint, 544–550; —— diversity, 715–734; —— factors, 221–227, 1137–1141; —— relationship, 1036–1051; —— restoration, 271–279; —— traits, 943–954
ecotones, 311–320
Ectopistes migratorius, 907–913
Ecuador, 362–378
Eddy, Garrett, 1916–2001, In Memoriam, 1107–1109
Edge, Kerri-Anne, see Massaro, Melanie, et al.
Eens, Marcel, see De Ridder, Elke, et al.
egg laying, bimodal distribution of, 244–250
eggs, 54–61, 62–70, 125–131, 149–165, 244–250, 280–281, 426–436, 461–472, 515–519, 544–550, 556–560, 715–734, 735–748, 778–789, 851–854, 855–858, 971–983, 1075–1090, 1091–1103, 1126–1132, 1173–1179, 1179–1186; —— laying, 244–250; pipped ——, 221–227; —— production, 185–200; —— shape, 1179–1186; —— size, 185–200, 800–807, 840–845, 1036–1051, 1137–1141; —— volume, 800–807
Egret, Cattle, 587–595; Eastern Great White, 552–556; Great, 552–556; Snowy, 552–556, 882–883
Egretta thula, 552–556
E. caerula, 552–556
E. thula, 882–883
E. tricolor, 552–556
Eider, Common, 62–70, 403–413; King, 62–70, 403–413, 895–896; Spectacled, 676–684; Steller's, 403–413
Eithlypis lachrymosa, 695–714
El Niño, 244–250, 873–874, 1149–1154, 1162–1166
Elaenia flavogaster, 984–995
E. martinica, 1213–1214
Elanoides forficatus, 971–983
Elanus caeruleus, 1179–1186
Elepaio, 929–942
elevational gradient, 132–148
Ellison, Kevin S., see Peer, Brian D., et al.
Emberiza caesia, 1179–1186
E. cia, 1179–1186
E. cintrinella, 1179–1186
E. cirlus, 1179–1186
E. elegans, 1179–1186
E. leucocephalos, 1179–1186
E. schoeniclus, 695–714
E. striolata, 533–539
Emery, Robert B., see Arnold, Todd W., et al.
emigration, 109–124, 149–165, 778–789
Empidonax hammondii, 1010–1023
E. oberholseri, 685–694, 1010–1023
E. virescens, 414–425
E. wrightii, 1010–1023
Empidonomus varis, 658–675
endothermy, 1187–1201
energy, balance, 251–260; —— debt, 54–61; —— expenditure, 1121–1126
environmental, component, 800–807; —— conditions, 54–61; —— contaminants, 185–200; —— crisis, 907–913; —— factors, 498–506; —— stochasticity, 1132–1137; —— stress, 1149–1154
Eremophila alpestris, 271–279, 695–714
Ergaticus ruber, 695–714
Ericson, Per G. P., see Johansson, Ulf S., et al.
Erithacus rubecula, 201–209
Erratum, 872
Erythrura cyaneovirens, 1209–1210
E. pealii, 1209–1210
Estela, Felipe A., see Nebel, Silke, et al.
Eudromia elegans, 1179–1186
Eudynamys scolopacea, 883–888
E. scolopacea rufiventer, 883–888
E. scolopacea salvadori, 883–888
Eudyptes chrysocome, 88–108, 1064–1074
E. chrysolophus, 88–108
E. pachyrhyncus, 88–108
E. robustus, 88–108
E. schlegeli, 88–108
E. sclateri, 88–108
Eudyptula minor, 88–108, 244–250
Eugenes fulgens, 1141–1149
Euparkeria, 1–17
Euphagus cyanocephalus, 556–560
Euphonia finschi, 695–714
E. fulvicrissa, 695–714
E. rufiventris, 658–675
Euptilotis neoxenus, 897–906
Eurystomus orietalis, 658–675
eutaxic condition, 943–954
Evans Ogden, Lesley J., see Nebel, Silke, et al.
evolution, 335–348, 596–602, 858–863, 943–954, 1075–1090, 1141–1149; —— of vocal repertoires, 1141–1149; behavioral ——, 596–602; character ——,

943–954; neutral character ——, 943–954; nonadaptive character ——, 943–954
evolutionary, compromises, 221–227; —— history, 641–657; —— potential, 641–657; —— relationships, 88–108, 603–620, 715–734; —— response, 800–807
excreta, 1167–1173
extinction, 929–942
extrapair, copulations, 228–233; —— fertilization, 125–131, 770–777, 1064–1074; —— mate choice, 301–310; —— mating, 125–131; —— paternity, 228–233, 770–777

Falco biarmicus, 1179–1186
F. cherrug, 603–620, 1179–1186
F. eleonorae, 835–840, 1179–1186
F. pelegrinoides, 1179–1186
F. peregrinus, 321–334, 1036–1051, 1179–1186, 587–595
F. rusticolus, 587–595, 1179–1186
F. sparverius, 125–131, 391–402, 426–436, 587–595, 1052–1063, 1052–1063
F. tinnunculus, 125–131, 321–334, 544–551
Falcon, Eleonora's, 835–840; Peregrine, 321–334, 587–595, 1036–1051
Falconiformes, 812–814
Fantail, Grey, 1024–1035
Farnsworth, George L., et al., A removal model for estimating detection probabilities from point-count surveys, 414–425
fat score, 201–209
feather, 487–497; —— breakage, 213–216; —— coloration, 1114–1120; —— damage, 213–216; —— development, 185–200; —— lice, 88–108, 213–216; —— origin, 1187–1201; —— quality, 213–216; —— wear, 922–928
fecundity, 149–165
Feduccia, Alan, Birds are dinosaurs: Simple answer to a complex problem, 1187–1201
feeding, 996–1009; —— rate, 125–131
female, condition, 125–131; —— preference, 301–310
Fernandez, Guillermo, see Nebel, Silke, et al.
Ficedula albicollis, 301–310, 391–402, 1179–1186
F. hypoleuca, 800–807, 1091–1103, 1173–1179, 1179–1186
Finch, Deborah M., see Kelly, Jeffrey F., et al.
Finch, House, 301–310, 851–854, 929–942; Vegetarian, 864–871; Warbler, 864–871; Woodpecker, 864–871; Zebra, 487–497, 566–572
Finland, 603–620
fire, 873–874; —— exclusion, 71–87
fitness, 54–61, 125–131, 800–807
Fitzpatrick, John W., The AOU and bird conservation: Recommitment to the revolution, 907–913
fixed-radius plots, 18–25
fledging, 971–983; —— success, 125–131, 735–748, 955–970
Fleischer, Robert C., see Chu, Miyoko, et al.
Flicker, Northern, 391–402
Flight, feathers, 1010–1023; —— parameters, 213–216; —— whistle, 349–361
flightlessness, 943–954
floaters, 1132–1137
flock, composition, 71–87; —— size, 71–87
Florida, 71–87, 587–595
Fluvicola pica albiventer, 984–995
Flycatcher, Acadian, 414–425; Collared, 301–310, 391–402; Dusky, 685–694, 1010–1023; Gray, 1010–1023; Hammond's, 1010–1023; Pied, 800–807, 1091–1103, 1173–1179; Ruddy-tailed, 1024–1035; Spotted, 533–539
focal animal sampling, 71–87
food, 216–220, 1036–1051, 1121–1126; —— abundance, 244–250; —— availability, 166–174, 446–460, 473–486; —— limitation, 971–983; —— supply, 544–550, 1162–1166
food-niche breadth, 216–220
foraging, 71–87, 109–124, 216–220, 321–334, 473–486, 685–694, 735–748, 1024–1035, 1064–1074; —— efficiency, 54–61, 213–216; ground ——, 1173–1179; —— height, 658–675; —— interactions, 1141–1149; —— strategies, 858–863; —— success, 266–270
forest, destruction, 749–769; —— fragmentation, 271–279, 528–532, 641–657, 685–694, 955–970, 1114–1120, 1173–1179; —— management, 955–970; —— succession, 271–279
Formicarius colma, 658–675
Foulehaio carunculata, 1209–1210
Fournier, François, et al., Daily energy expenditures of free-ranging Common Loon (*Gavia immer*) chicks, 1121–1126
France, 1132–1137
Frankel, Michelle A., see Hersek, Marta J., et al.
Franklin, Alan B., see Noon, Barry R., and ——
Fraser, Gail, see Jones, Ian L., et al.
Fratercula cirrhata, 1036–1051
F. corniculata, 1036–1051
F. acrtica, 473–486, 1036–1051, 1179–1186
Frederick, Peter C., see Salatas, Johanna, et al.
Fregata ariel, 875–877
F. minor, 875–877
Fregetta grallaria, 88–108
F. tropica, 88–108
Fretz, J. Scott, Scales of food availability for an endangered insectivore, the Hawaii Akepa, 166–174
Friesen, V. L., et al., Molecular support for species status of the Nazca Booby (*Sula granti*), 820–826
Frigatebird, Lesser, 875–877
Fringilla coelebs, 533–539, 566–572, 1179–1186
Frith, Clifford B., and Beehler, Bruce M., The Birds of Paradise (rev.), 880–881
Frogmouth, Dulit, 873–874
fruit, 175–184; —— abudance, 132–148; artificial ——, 175–184
Fulica americana, 62–70, 1121–1126
F. atra, 1179–1186

F. cristata, 1179–1186
F. porphyrio, 897–906
Fuller, Errol, Extinct Birds (rev.), 574–577
Fulmar, Northern, 88–108; Southern, 88–108
Fulmarus glacialis, 88–108, 1179–1186
F. glacialoides, 88–108
Furnarius cristatus, 984–995

Gaban-Lima, Renato, et al., Description of a new species of *Pionopsitta* (Aves: Psittacidae) Endemic to Brazil, 815–819
Galápagos Islands, 596–602
Galbula leucogastra, 658–675
Gallinago delicata, 897–906
G. media, 1179–1186
Gallirallus dieffenbachii, 943–954
Gallus gallus, 603–620, 840–845, 984–995, 1114–1120
Gannet Island, Labrador, 1064–1074
Gannet, Australasian, 820–826; Cape, 820–826; Northern, 820–826, 1137–1141
Garrodia nereis, 88–108
Garvin, Mary C., see Tarvin, Keith A., and ——
Gaskell, Jeremy, Who Killed the Great Auk? (rev.), 1211–1213
Gaston, Anthony J., see Hipfner, J. Mark, and ——
Gauthier, Jacques, and Gall, Lawrence F. (Eds.), New Perspectives on the Origin and Early Evolution of Birds: Proceedings of the International Symposium in Honor of John H. Ostrom (rev.), 1202–1205
Gavia adamsii, 88–108
G. arctica, 88–108, 1179–1186
G. immer, 88–108, 1121–1126, 1179–1186
G. pacifica, 88–108
G. stellata, 88–108, 1179–1186
gene flow, 596–602, 641–657
genetic drift, 943–954
genetic variance, 301–310, 498–506, 603–620
Geococcyx californianus, 426–436
geographic distribution, 820–826, 929–942, 1010–1023
geographic variation, 26–35, 498–506, 596–602, 1024–1035
geographic segregation, 922–928
geomagnetic cues, 201–209
Georgia, 109–124, 858–863
Georgiev, Boyko B., review by, 881–882
Geospiza conirostris, 864–871
G. difficilis, 864–871
G. fortis, 864–871
G. fuliginosa, 864–871
G. magnirostris, 864–871
G. pallidus, 864–871
G. scandens, 864–871
Geothlypis trichas, 695–714
Germany, 544–550
Giant-Petrel, Antarctic, 88–108; Hall's, 88–108
Gibbs, H. Lisle, see Kasumovic, Michael M., et al.
Giesen, Kenneth M., see Rosenstock, Steven S., et al.
Gillihan, Scott W., Bird Conservation on Golf Courses: A Design and Management Manual (rev.), 288–290
Glaucidium nubicola, 1214–1215
G. pareri, 1214–1215
G. gnoma, 1214–1215
G. sanchezi, 1214–1215
Glaucis hirsuta, 1141–1149
gliding, 835–840
global climatic change, 1132–1137
Glyphorynchus spirurus, 621–640
Gnatcatcher, Blue-gray, 71–87, 1024–1035
Gobris, Nancy M., see Provencher, Louis, et al.
Godinez, Alvaro, see Chu, Miyoko, et al.
Godwit, Bar-tailed, 36–45
Goldcrest, 1091–1103
Goldeneye, Barrow's, 676–684, 1075–1090; Common, 403–413, 676–684
Golden-Plover, American, 36–45; Eurasian, 473–486
Goldfinch, American, 71–87
Goldstein, David L., see Lyons, Michele E., and ——
Gonzalez, Clementina, see Ornelas, Juan Francisco, et al.
Goodwin, Elijah A., see Kroodsma, Donald E., et al.
Goose, African Pygmy, 403–413; Bar-headed, 403–413; Cackling Canada, 221–227, 996–1009; Canada, 221–227, 403–413, 587–595; Cape Barren, 403–413; Domestic, 1167–1173; Emperor, 996–1009; Greater Snow, 221–227; Greater White-fronted, 996–1009; Greylag, 403–413, 1167–1173; Hawaiian, 403–413, 1206–1208; Lesser Snow, 62–70, 221–227; Orinoco, 403–413; Red-breasted, 403–413; Ross's, 62–70, 603–620; Snow, 62–70, 403–413, 603–620, 735–748, 800–807; Spur-winged, 403–413; Green Pygmy, 403–413
Goshawk, Northern, 321–334, 790–799, 1132–1137
Goymann, Wolfgang, et al., Corticosterone metabolites can be measured noninvasively in excreta of European Stonechats (*Saxicola torquata rubicola*), 1167–1173
Grackle, Common, 461–472, 1091–1103
Granatellus pelzelni, 695–714
granivory, 426–436
grassland, 498–506, 715–734, 271–279
Great Basin, 26–35
Great Lakes, 185–200
Grebe, Eared, 1162–1166
Griseotyrannus aurantioatrocristatus, 658–675
Ground-Dove, Common 882–883
ground nesting, 955–970
ground traps, 149–165
growth rate, 62–70, 473–486, 800–807, 1036–1051
Grus vigo, 1179–1186
G. vipio, 832–835
Gubernetes yetapa, 984–995
Guglielmo, Christopher G., et al., Extrinsic and intrinsic sources of variation in plasma lipid me-

tabolites of free-living Western Sandpipers (*Calidris mauri*), 437–445
guild, 391–402, 658–675
Guiraca caerulea, 897–906
Guitiérez, R. J., see Seamans, Mark E., et al.
Gull, Audouin's, 603–620; Black-headed, 473–486; Bonaparte's, 811–812; California, 426–436, 596–602; Glaucous, 596–602, 827–832, 996–1009; Glaucous-winged, 426–436, 1036–1051; Gray-hooded, 897–906; Great Black-backed, 875–877; Heermann's, 603–620; Herring, 185–200, 473–486, 596–602, 1137–1141; Iceland, 596–602; Kelp, 897–906; Laughing, 596–602; Lesser Black-backed, 125–131, 185–200, 596–602, 875–877; Ring-billed, 596–602; Slaty-backed, 596–602; Western, 603–620, 889–892, 1137–1141; Yellow-footed, 603–620
Gwinner, Eberhard, see Goymann, Wolfgang, et al.
Gygis alba, 875–877
Gymnorhina tibicen, 790–799
Gymnorhinus cyanocephalus, 321–334
Gymnostinops bifasciatus, 658–675
Gymnostinops montezuma, 335–348
Gypaetus barbatus, 1179–1186
Gyps fulvus, 1179–1186
Gyrfalcon, 587–595

Haase, Ben, see Nebel, Silke, et al.
habitat, 109–124, 379–390, 414–425, 446–460, 461–472, 520–523, 528–532, 556–560, 676–684, 685–694, 770–777, 907–913, 971–983, 996–1009, 1075–1090; —— assessment, 971–983; —— conservation, 914–921; ecological ——, 864–871 —— dge, 955–970; forest ——, 715–734; —— fragmentation, 778–789, 1132–1137; —— management, 71–87; nesting ——, 233–239, 1036–1051; —— preference, 109–124, 132–148, 362–378 —— election, 201–209; staging ——, 1162–1166; stopover ——, 914–921; —— structure, 166–174
Hackett, Shannon J., In Memoriam: Nedra Kathryn Klein, 1951–2001, 810–811
Hackett, Shannon J., see Marini, Miguel A., and ——
Haemotopus palliatus, 473–486
Halcyon chloris, 596–602
H. cinnamomina, 596–602
H. leucopygia, 883–888
Haliaeetus leucocephalus, 1154–1161, 832–835
H. pelagicus, 832–835
Haliastur indus, 587–595
Halocyptena microsoma, 88–108, 88–108
Hansell, Mike, Bird Nests and Construction Behavior (rev.), 892–894
Hansen, Wallace R., see van Riper, Charles III, et al.
Haplospiza unicolor, 695–714
Hardy, J. W., Coffey, Ben B., Jr., and Reynard, George, Voices of the New World Owls, 4th Edition Revised (rev.), 1214–1215
Harpagus bidentatus, 658–675
Harrier, Northern, 587–595
Harrington, Brian A., et al., Collaborative approches to the evolution of migration and the development of science-based conservation in shorebirds, 914–921
Harrington, Brian, see Nebel, Silke, et al.
hatching dates, 1036–1051
hatching success, 54–61, 62–70, 125–131, 735–748
Hawaii, 166–174, 929–942
Hawaii Amakihi, 166–174
Hawk, Broad-winged, 1126–1132; Red-shouldered, 1052–1063; Red-tailed, 1052–1063, 1126–1132
Hays, Helen, see Coker, Christopher R., et al.
Hazel, Michael J., see Massaro, Melanie, et al.
Heath, M. F., and Tucker, G. M., review by, 284–288
Hedenström, Anders, see Rosén, Mikael, and ——
Hejl, Sallie J., see Cilimburg, Amy B., et al.
Heliothryx aurita, 658–675
Helmitheros vermivorus, 695–714
helpers, 790–799
Hemignathus flavus, 1206–1208
H. virens, 929–942
Hemiprocne mystacea, 658–675
Hemispingus atropileus, 695–714
H. frontalis, 695–714
Hemithraupis flavicollis, 658–675
Hen, Heath, 271–279
Herbert Craig E., et al., Plasma amino acid concentrations as an indicator of protien availability to breeding Herring Gulls (*Larus argentatus*), 185–200
herbicide, 71–87, 685–694
herbivore, 551–556, 996–1009
Hermit, Little, 897–906; Long-billed, 897–906, 897–906
Heron, Black-crowned Night, 875–877; Great Blue, 812–814; Green, 875–877; Little Blue, 552–556; Tricolored, 552–556
Herpsilochmus dorsimaculatus, 658–675
H. parkeri, 362–378
Hersek, Marta J., et al., Brown-headed Cowbird parasitism of Ovenbirds in suburban forest fragments, 240–243
Herzog, Sebastian K., et al., Estimating species richness of tropical bird communities from rapid assessment data, 749–769
Heteronetta atricapilla, 403–413
Hieraaetus fascitus, 1179–1186
H. pennatus, 790–799, 1179–1186
Higuchi, Hiroyoshi, see Ueta, Mutsuyuki, and ——
Hilton, G. M., see Reid, J. M., et al.
Himantopus himantopus, 1179–1186
Himantornis haematopus, 943–954
Himatione sanguinea, 929–942
Hines, James E., see Farnsworth, George L., et al.
Hipfner, J. Mark, and Gaston, Anthony J., Growth of nestling Thick-billed Murres (*Uria lomvia*) in relation to parental experience and hatching date, 827–832

Hippolais icterina, 379–390, 1179–1186
H. languida, 1179–1186
H. olivetorum, 1179–1186
H. pallida, 533–539, 1179–1186
H. polyglotta, 379–390
Hirundo rustica, 213–216, 566–572, 1010–1023
H. tahitica, 883–888
Histrionicus histrionicus, 403–413, 403–413, 676–684, 1179–1186
Höfling, Elizabeth, see Gaban-Lima, Renato, et al.
home range, 311–320, 641–657, 685–694
homeothermy, 266–270, 1121–1126
Honey-buzzard, Barred, 596–602; Crested, 596–602
honeyeater, 251–260
Honeyeater, Kadavu, 1209–1210; Wattled, 1209–1210
Hoopoe, Eurasian, 533–539
host–parasite interactions, 213–216
Houston, C. Stuart, and Godfrey, W. Earl, In Memoriam: Arthur C. Twomey, 1908–1996, 811–812
Howell, Steve N. G., Humming Birds of North America: The Photographic Guide (rev.), 877–880
Howeter, David W., see Arnold, Todd W., et al.
Hummingbird, Alfaro's, 897–906; Allen's, 877–880; Amethyst-throated, 1141–1149; Anna's, 877–880; Blue-throated, 1141–1149; Broad-billed, 1179–1186; Calliope, 845–851; Costa's, 877–880; Indigo-capped, 897–906; Lucifer, 877–880; Magnificent, 1141–1149; Rufous, 877–880, 1167–1173
Hunter, F. M., et al., Breeding biology of the Whiskered Auklet (*Aethia pygmaea*) at Buldir Island, Alaska, 1036–1051
hunting, diurnal, 1052–1063
hybridization, 596–602, 695–714, 1114–1120
Hydrobates peligicus, 88–108
Hylexetastes perrotii, 621–640
Hylocichla mustelina, 109–124, 132–148, 414–425, 851–854, 1126–1132
Hylophylax punctulata, 658–675
Hypocnemis cantator, 658–675
Hypocnemoides melanopogon, 658–675

Icteria virens, 851–854, 695–714
Icterus bullockii, 695–714, 897–906, 1010–1023
I. cayanensis, 695–714
I. chrysocephalus, 658–675
I. leucopteryx, 1213–1214
Iiwi, 929–942
Ilicura militaris, 1114–1120
immune responsiveness, 487–497
incubation, 54–61, 62–70, 185–200, 1075–1090
incubation temperature, 54–61
India, 1110–1113
information centers, 446–460
insecticide application, 216–220
Inseparable rosegorge, 897–906
intraspecific, competition, 221–227; —— densities, 996–1009; —— interactions, 922–928
Irestedt, Martin, see Johansson, Ulf S., et al.
irruptive migration, 1154–1161
Irwin, Darren E., and Irwin, Jessica H., Circular overlaps: Rare demonstrations of speciation, 596–602
Irwin, Jessica H., see Irwin, Darren E., and ——
Isabelle, Andre, see Picman, Jaroslav, et al.
islands, 233–239, 533–539
Isler, Morton L., et al., Rediscovery of a cryptic species and description of a new subspecies in the *Myrmeciza hemimelaena* complex (Thamnophilidae) of the Neotropics, 362–378
Isler, Phyllis R., see Isler, Morton L., et al.
Ixobrychus exilis, 882–883

Jabłoński, Piotr G., and Matyjasiak, Piotr, Male wing-patch asymmetry and aggressive response to intruders in the Common Chaffinch (*Fringilla coelebs*), 566–572
Jackdaw, Eurasian, 790–799, 1179–1186
jack-knife estimate, 216–220
Jackson, Jerome A., see Davis, William E., Jr., and ——
Jaeger, Parasitic, 858–863; Pomarine, 603–620
Jamarillo, Alvaro, see Sandercock, Brett K., and ——
James, Frances C., review by, 1206–1208
Jay, Blue, 851–854, 955–970; Green, 790–799; Piñon, 321–334
jays, 808–810
Jehl, Joseph R., Jr., et al., Massive collapse and rapid rebound: Population dynamics of Eared Grebes (*Podiceps nigricollis*) during an ENSO event, 1162–1166
Jenkins, Kendell D., and Cristol, Daniel A., Evidence of differential migration by sex in White-throated Sparrows (*Zonotrichia albicollis*), 539–543
Jenkinson AOU Service Award, 2001: Ned K. Johnson, 283
Johansson, Ulf S., et al., Basal phylogeny of the Tyrannoidea based on comparisons of cytochrome *b* and exons of nuclear *c-myc* and Rag-1 genes, 984–995
Johnsgard, Paul, A., Trogons and Quetzals of the World (rev.), 295–296
Johnson, Ned K., review by, 573–574
Johnston, David W., review by, 574
Jones, H., see Friesen, V. L., et al.
Jones, I. L., see Hunter, F. M., et al.
Jones, Ian L., et al., Different patterns of parental effert durning chick-rearing by female and male Thick-billed Murres (*Uria lomvia*) at a low-Arctic colony, 1064–1074
Joynt, Brian L., see Arnold, Todd W., et al.
Junco hyemalis, 71–87, 149–165, 301–310, 414–425, 695–714
J. phaeonotus, 1173–1179
Junco, Dark-eyed, 71–87, 149–165, 301–310, 414–425; Yellow-eyed, 1173–1179
Junglefowl, Red, 840–845
juvenile, dispersal, 109–124; —— movements, 109–124

Kaka, 888–889
Kakapo, 888–889
Kaloa Maoli, 1206–1208
Karasov, William H., see Fournier, François, et al.
Kasumovic, Michael M., et al., Primary sex-ratio variation in two brood parasitic birds: Brown-headed Cowbird (*Molothrus ater*) and Common Cuckoo (*Cuculus canorus*), 561–566
Kea, 888–889
Kelly, Jeffrey F., et al., Density-dependent mass gain by Wilson's Warblers during stopover, 210–213
Kempenaers, Bart, see Blomqvist, Donald, et al.
Kennedy, Martyn, and Page, Roderic D. M., Seabird supertrees: Combining partial estimates of Procellariiform phylogeny, 88–108
Kenow, Kevin P., see Fournier, François, et al.
Kessler, Michael, see Herzog, Sebastian K., et al.
Kestrel, American, 391–402, 426–436, 596–602, 1052–1063; Eurasian, 321–334, 544–550
Killdeer, 228–233
King, Warren B., see Beehler, Bruce M., et al.
Kingfisher, Belted, 895–896; Mangrove, 596–602; Micronesian, 596–602
Kirk, Morgan T., see Sedinger, James S., et al.
Kite, Black, 790–799; Brahminy, 587–595; Swallow-tailed, 971–983
Kittiwake, 473–486; Black-legged, 1137–1141
Klein, Nedra Kathryn, 1951–2001, In Memoriam, 810–811
kleptoparasitism, 473–486
Klippenstine, D. R., see Davis, S. K., et al.
Knot, Red, 149–165
Koenig, Walter D., see Chu, Miyoko, et al.
Kolunen, Heikki, see Brommer, Jon E., et al.
Kookaburra, 426–436
Krapu, Gary L., et al., Does increasing daylength control seasonal changes in clutch sizes of Northern Pintails (*Anas acuta*)?, 498–506
Kratter, Andrew W., review by, 883–888
Kratter, Andrew W., see Banks, Richard C., et al.
Krementz, David G., see Lang, Jason D., et al.
Kroodsma, Donald E., et al., Falkland Island Sedge Wrens (*Cistothorus platensis*) imitate rather than improvise large song repetoires, 523–528
Kus, Barbara E., see Nebel, Silke, et al.

La Niña, 1149–1154
Lagopus lagopus, 1179–1186
L. mutus, 1179–1186
Laing, Karen K., see Schmutz, Joel A., and ——
Lalage leucopygialis, 596–602
L. nigra, 596–602
L. sueurii, 596–602
Lampornis amethystinus, 1141–1149
L. clemenciae, 1141–1149
L. viridipallens, 1141–1149
Lanctot, Richard B., see Blomqvist, Donald, et al.
Lang, Jason D., et al., Wood Thrush movements and habitat use: Effects of forest management for Red-cockaded Woodpeckers, 109–124
Lanioceria hypopyrra, 658–675
Lanius senator, 533–539
Lank, David B., see Nebel, Silke, et al.
Lanyon, Scott M., see Price, J. Jordan, and ——
Lapidocolaptes fuscus, 621–640
Lapwing, 473–486
Lark, Horned, 271–279
Larus argentatus, 185–200, 473–486, 587–595, 603–620, 897–906, 1137–1141, 1179–1186
L. armenicus, 603–620
L. atricilla, 587–595
L. audouinii, 603–620
L. cachinnans, 603–620
L. californicus, 426–436, 596–602, 603–620
L. cirrocephalus, 897–906
L. crassirostris, 603–620
L. delawarensis, 587–595, 603–620
L. dominicanus, 897–906
L. fulvus, 875–877
L. fuscus, 125–131, 185–200, 596–602, 603–620
L. genei, 1179–1186
L. glaucescens, 426–436, 1036–1051
L. glaucoides, 596–602
L. graellsii, 603–620
L. heermanni, 603–620
L. heuglini, 603–620
L. hyperboreus, 596–602, 603–620, 827–832, 996–1009, 1179–1186
L. livens, 603–620
L. marinus, 603–620, 875–877, 897–906
L. melanocephalus, 1179–1186
L. michahellis, 603–620
L. occidentalis, 603–620, 889–892, 1137–1141
L. philadelphia, 811–812
L. ridibundus, 473–486
L. schistisagus, 596–602
L. smithsonianus, 596–602, 603–620
L. thayeri, 596–602
L. vegae, 603–620
Laterallus fasciatus, 943–954
L. leucopyrrhus, 943–954
Leafloor, James O., see Badzinski, Shannon S., et al.
Lebreton, Jean-Dominique, see Crochet, Pierre-Andre, et al.
LeCroy, Mary, review by, 284
Lee, William G., and Jamieson, Ian G., The Takahe: Fifty Years of Conservation Management Research (rev.), 291–293
Legatus leucophaius, 897–906
Leiothrix lutea, 929–942
Leiothrix, Red-billed, 929–942
Leisler, Bernd, et al., Evolution of breeding systems in acrocephaline warblers, 379–390
lek mating systems, 132–148
Leonard, David L., Jr., review by, 574–577
Lepidocolaptes fuscus, 621–640

L. albolineatus, 621–640
L. angustirostris, 621–640, 984–995
Leptopogon amaurocephalus, 984–995
Leptotila rufaxilla, 658–675
Lessells, C. M., et al., Egg weights, egg component weights, and laying gaps in Great Tits (*Parus major*) in relation to ambient temperature, 1091–1103
Leukering, Tony, see Rosenstock, Steven S., et al.
Levin's standardized measure, 216–220
life history, 88–108, 149–165, 266–270, 311–320, 321–334, 510–515, 544–550, 778–789, 922–928, 1149–1154, 1167–1173
Lill, Alan, see Stanley, Maragret C., and ——
Limnodromus scolopaceus, 36–45
Limnothlypis swainsonii, 695–714
Limosa lapponica, 36–45, 1179–1186
L. limosa, 1179–1186
Lindberg, Mark S., see Sedinger, James S., et al.
Lindburg, Mark S., see Cilimburg, Amy B., et al.
line transects, 18–25, 46–53, 749–769
Lipaugus vociferans, 658–675
Lodopleura isabellae, 658–675
Lõhmus, Mare, see Sandberg, Roland, et al.
Loiselle, Bette A., see Blake, John G., and ——
Lonchura bicolor, 695–714
L. punctulata, 929–942
longevity, 149–165
Longisquama, 1–17
Longspur, Chestnut-collared, 556–560
Loon, Arctic, 88–108; Common, 88–108, 1121–1126; Pacific, 88–108; Red-throated, 88–108; Yellow-billed, 88–108
loons, 943–954
Lophortyx californicus, 808–810
Lophotriccus galeatus, 658–675
Lophura ignita, 873–874
Lorenzana, Janice C., and Sealy, Spencer G., Did blue eggs of Black-billed (*Coccyzus erythropthalmus*) and Yellow-billed (*C. americanus*) cuckoos evolve to counter host discrimination?, 851–854
Lorius lory, 883–888
Losito, Michael P., In Memoriam: Olin Sewall Pettingill, Jr., 1907–2001, 1104–1107
Lovette, I. J., and Bermingham, E., What is a wood-warbler? Molecular characterization of a monophyletic Parulidae, 695–714
Lovette, Irby J., review by, 1213–1214
Loxigilla puertoricensis, 882–883
Loxoides bailleui, 1206–1208
Loxops coccineus, 929–942, 166–174, 1206–1208
Lugensa brevirostris, 88–108
Luscinia calliope, 1179–1186
L. luscinia, 1179–1186
L. megarhynchos, 1179–1186
L. svecica, 1179–1186
Lyons, James E., see Nebel, Silke, et al.
Lyons, Michele E., and Goldstein, David L., Osmoregulation by nestling and adult American Kestrels (*Falco sparverius*), 426–436

Macgregoria pulchra, 880–881
Macronectes giganteus, 88–108
M. halli, 88–108
magnetic fields, 201–209
Magpie, 889–892; Australian, 790–799; Azure-winged, 561–566; Black-billed, 790–799
Main, Martin B., review by, 288–290
Malacorhyncus membranaceous, 403–413
Mallard, 149–165, 261–266, 403–413, 1075–1090, 1206–1208
Manacus candei, 132–148
M. manacus, 984–995
M. vitellinus, 132–148
management, 71–87, 109–124, 587–595, 907–913
manakin, 175–184, 251–260; —— hybrid, 1114–1120; survival rates of ——, 132–148
Manitoba, 461–472, 556–560
Manolis, James C., et al., Edge effect on nesting success of ground nesting birds near regenerating clearcuts in a forest-dominated landscape, 955–970
Marcos, Jose M., see Baglione, Vittorio, et al.
Margarops fuscus, 897–906
Marini, Miguel A., and Hackett, Shannon J., A multifaceted approch to the characterization of an intergeneric hybrid manakin (Pipridae) from Brazil, 1114–1120
MARK, 321–334, 510–515, 778–789
mark–recapture, 18–25, 109–124, 149–165
Marshall, Joe T., The Gray-cheeked Thrush, *Catharus minimus*, and its New England Subspecies, Bicknell's Thrush, *Catharus bicknelli* (rev.), 583–584
Martin K., see Aitken, K. E. H., et al.
Martin, Kathy, see Easton, Wendy E., and ——
Martin, Phillip, see Sedinger, James S., et al.
Marzluff, John M., et al., Avian Ecology and Conservation in an Urbanizing World (rev.), 889–892
mass, 125–131, 210–213, 437–445, 800–807
Massachusetts, 240–243
Massaro, Melanie, et al., Investigation of interacting effects of female age, laying dates, and egg size in Yellow-eyed Penguins (*Megadyptes antipodes*), 1137–1141
mate attraction, 487–497
mate guarding, male, 228–233
mate quality, 566–572
mate selection, 301–310
Mathiaut, Marie, see Penteriani, Vincenzo, et al.
mating strategy, 403–413
mating systems, social, 228–233
Matyjasiak, Piotr, see, Jabłoński, Piotr G., and ——
May, Christopher A., see Seamans, Mark E., et al.
Mayr, Ernst, and Diamond, Jared, The Birds of Northern Melanesia: Speciation, Ecology, and Biogeography (rev.), 883–888

McIntosh, Carl E., see Chu, Miyoko, et al.
McKinney, Frank, 1928–2001, In Memoriam, 507–509
McKinney, Frank, see Coker, Christopher R., et al.
McMartin, B., et al., Patterns of consumption and diet differentiation for three breeding warbler species during a spruce budworm outbreak, 216–220
Meadowlark, Eastern, 271–279, 556–560, 855–858; Western, 271–279, 556–560, 855–858
Mees, Veerle, see De Ridder, Elke, et al.
Megacrex inepta, 943–954
Megadyptes antipodes, 88–108, 1137–1141
Megalancosaurus, 1–17
Megapodius freycinet, 1179–1186
Melamprosops phaeosoma, 1206–1208
Melanerpes carolinus, 71–87, 391–402, 984–995
M. erythrocephalus, 391–402
M. fomicivorus, 790–799
M. lewis, 895–896
Melanitta fusca, 62–70, 1179–1186
M. nigra, 403–413, 1179–1186
Meleagris gallopavo, 301–310
Melopyrha nigra, 1213–1214
Melospiza lincolnii, 149–165
M. melodia, 149–165, 561–566, 641–657, 695–714
Mentocrex kioloides, 943–954
Mercier, Francine, see Nebel, Silke, et al.
Merganetta armata, 403–413
Merganser, Common, 403–413; Red-breasted, 403–413
Mergellus albellus, 403–413, 1179–1186
Mergus merganser, 403–413
M. serrator, 403–413
Merino, S., see Barbosa, A., et al.
Merops ornatus, 658–675
Mesozoic birds, 1187–1201
metabolic rate, 54–61, 1173–1179; elevated ——, 213–216
metabolic water, 551–556
Metopiana peposaca, 403–413
Mexico, 26–35, 907–913, 922–928, 1010–1023, 1141–1149, 1162–1166
Meyer, Michael W., see Fournier, François, et al.
Mickelson, Alison C., see Chaplin, Susan B., et al.
Microligea palustris, 695–714
Micropsitta geelvinkiana, 943–954
Microraptor, 1–17
microsatellite loci analysis, 641–657
Middleton, Alex L. A., review by, 888–889
migrant, 149–165; Neotropical ——, 201–209, 216–220, 240–243, 271–279, 1010–1023, 1126–1132, 1173–1179; insectivorous ——, 210–213
migrating, 1154–1161
migration, 132–148, 149–165, 201–209, 391–402, 510–515, 790–799, 914–921, 1154–1161; —— costs, 922–928; —— distance, 149–165; —— energetics, 914–921; molt ——, 676–684; —— routes, 832–835
Miliaria calandra, 1179–1186
Millspaugh, Joshua J., and Marzluff, John M., Radio Tracking and Animal Populations (rev.), 580–582
Milvus migrans, 790–799
M. milvus, 1179–1186
Mimus polygottos, 855–858, 895–896
M. saturnius, 855–858
Minnesota, 955–970
mist-netting, 18–25, 109–124, 125–131, 132–148, 149–165, 175–184, 201–209, 362–378
mitochondrial DNA, 88–108, 335–348, 362–378, 603–620, 621–640, 1114–1120
mixed-species flocks, 749–769
Mniotilta varia, 695–714
Mock, Douglas W., In Memoriam: Frank McKinney, 1928–2001, 507–509
Mockingbird, Chalk-browed, 855–858; Northern, 855–858, 895–896
Moho nobilis, 1206–1208
Mojave Desert, 26–35
Møller, A. P., see Barbosa, A., et al.
Molothrus aeneus, 349–361, 855–858
M. ater, 240–243, 271–279, 280–281, 349–361, 556–560, 561–566, 695–714, 851–854, 855–858, 955–970
M. bonariensis, 855–858
molt, 487–497, 498–506, 676–684, 1010–1023
Momotus momota, 658–675
Monaghan, P., see Reid, J. M., et al.
Monasa atra, 658–675
monitoring, 587–595, 778–789, 914–921, 1036–1051
monogamous, 228–233, 1064–1074
Mononychus, 1–17
Montana, 778–789
Montevecchi, W. A., review by, 1211–1213
Monticola saxatilis, 1179–1186
Moore, Frank R., see Sandberg, Roland et al.
morphology, 362–378, 403–413, 520–523, 566–572, 596–602, 695–714, 715–734, 820–826, 943–954, 984–995, 1052–1063
morphometerics, 244–250, 621–640, 1114–1120, 1154–1161
mortality, 778–789, 1132–1137, 1162–1166, 149–165
Morus bassanus, 820–826
M. capensis, 820–826
M. serrator, 820–826
Mostl, Erich, see Goymann, Wolfgang, et al.
Motacilla aguimp, 1179–1186
M. citreola, 1179–1186
M. flava, 1179–1186
Mountain-gem, Green-throated, 1141–1149
Mousebird, White-backed, 251–260
Mumme, Ronald L., Scare tactics in a Neotropical warbler: White tail feathers enhance flush-pursuit foraging performance in the Slate-throated Redstart (*Myioborus miniatus*), 1024–1035
Munia, Spotted, 929–942
Murre, Common, 820–826, 827–832, 1064–1074, 1179–1186; Thick-billed, 820–826, 827–832, 1064–1074, 1137–1141

Murrelet, Long-billed, 820–826; Marbled, 820–826
Muscicapa striata, 533–539, 1179–1186
Myadestes lanaiensis, 1206–1208
M. obscurus, 929–942
Myiarchus tyrannulus, 984–995
Myiobius erythrurus, 658–675
Myioborus brunniceps, 695–714
M. miniatus, 695–714, 1024–1035
M. pictus, 695–714, 1024–1035
Myiodynastes maculatus, 658–675
Myiopagis caniceps, 658–675
M. gaimardii, 658–675
M. viridicata, 984–995
Myiozetetes luteiventris, 658–675
Myrmeciza hemimelaena, 362–378
M. castanea, 362–378
M. hemimelaena, 362–378
M. spodiogastra, 362–378
Myrmotherula axillaris, 658–675
M. guttata, 658–675
M. haematonota, 658–675
M. longipennis, 658–675
M. menetriesii, 658–675

Nagy, Kenneth A., see Salatas, Johanna, et al.
Nakamura, Hiroshi, see Kasumovic, Michael M., et al.
Nasica longirostris, 621–640
Nearctic, 984–995
Nebel, Silke, et al., Western Sandpiper (*Calidris mauri*) during the nonbreeding season: Spatial segegation on a hemispheric scale, 922–928
Nebraska, 446–460
Nectarina chalybea, 251–260
N. famosa, 251–260
Nemenius arquata, 1179–1186
Nene, 1206–1208
Neochen jubata, 403–413
Neophron percnopterus, 1179–1186
Neornithes, 943–954
Neotropics, 621–640, 695–714, 715–734, 749–769, 808–810, 907–913, 955–970, 984–995
Nesoclopeus woodfordi, 883–888
N. poecilopterus, 1209–1210
Nesofregetta fuliginosa, 88–108
nest, 62–70, 109–124, 426–436, 461–472, 473–486, 498–506, 556–560, 735–748, 770–777, 790–799, 845–851, 855–858, 1126–1132, 1149–1154, 1173–1179; —— activity, 233–239; artificial ——, 461–472; —— box, 487–497; —— failure, 971–983; —— predators, 1126–1132; —— season, 498–506; —— site, 166–174, 311–320, 446–460, 971–983; —— success, 261–266; —— survival, 800–807
nesting, 685–694, 827–832; —— attempts, 955–970; —— cavity, 391–402; —— crevices, 1036–1051; —— season, 515–519; —— stand preference, 1132–1137; secondary cavity ——, 391–402; —— success, 685–694, 955–970, 971–983;
nestling mortality, 125–131
Nestor meridionalis, 888–889
N. notabilis, 888–889
Netherlands, 1091–1103
Netta rufina, 403–413
Nettapus auritus, 403–413
N. pulchellus, 403–413
Nevada, 26–35
New Jersey, 240–243
New Mexico, 210–213, 321–334
New York, 437–445
Newton, Ian, and Rothery, Peter, Age-related trends in different aspects of the breeding performance of individual female Eurasian Sparrowhawks (*Accipiter nisus*), 735–748
niche dimension, 216–220
Nichols, James D., see Farnsworth, George L., et al.
Niven, Daniel K., review by, 1208–1209
nocturnal activity, 1036–1051
nocturnal hunting, 1052–1063
nocturnal hypothermia, 251–260
nocturnal migration, 201–209
Nomonyx dominicus, 403–413
nonbreeding season, 132–148, 922–928, 1154–1161
Noon, Barry R., and Franklin, Alan B., Scientific research and the Spotted Owl (*Strix occidentalis*): Opportunities for major contributions to avian population ecology, 311–320
Noon, Barry R., review by, 580–582
Norment, Christopher J., review by, 577–580
Norment, Christopher, On grassland bird conservation in the Northeast, 271–279
Norris, D. Ryan, and Stutchbury, Bridget J., Sexual differences in gap-crossing ability of a forest songbird in a fragmented landscape revealed through radiotracking, 528–532
North American Bird Conservation Initiative, 907–913
North Dakota, 498–506
Northarchus macrorhynchos, 658–675
N. tectus, 658–675
Northern Chile, 244–250
Nucifraga caryocatactus, 1179–1186
Numenius phaeopus, 36–45, 1179–1186
N. borealis, 907–913, 914–921
Nunavut, 62–70, 221–227
Nuthatch, Brown-headed, 71–87; Red-breasted, 391–402
nutrient uptake, 498–506
nutritional constraints, 261–266
nutritional costs, 261–266
nutritional requirments, 1075–1090
Nyctea scandiaca, 1214–1215
Nycticorax nycicorax, 875–877

Oberle, Mark W., Puerto Rico's Birds in Photographs (rev.), 882–883
Obritchkewitch, Tim, see Sedinger, James S., et al.
Oceanites gracilis, 88–108

O. oceanicus, 88–108, 875–877
Oceanodroma castro, 88–108
O. furcata, 88–108, 1036–1051
O. homochroa, 88–108
O. hornbyi, 88–108
O. leucorhoa, 88–108, 1036–1051
O. macrodactyla, 88–108
O. markhami, 88–108
O. matsdairae, 88–108
O. melania, 88–108, 88–108
O. monorhis, 88–108
O. tethys, 88–108, 88–108
O. tristrami, 88–108
Ocreatus underwoodii, 1141–1149
Ocyalus latirostris, 335–348
Oenanthe deserti, 1179–1186
O. finschii, 1179–1186
O. hispanica, 1179–1186
O. leucopyga, 1179–1186
O. leucura, 1179–1186
O. lugens, 1179–1186
O. moesta, 1179–1186
O. monacha, 1179–1186
O. oenanthe, 1173–1179
O. pleschanka, 1179–1186
O'Hara, Patrick D., see Guglielmo, Christopher G., et al.
O'Hara, Patrick D., see Nebel, Silke, et al.
Olomao, 1206–1208
Olson, Storrs L., review by, 1202–1205
Omao, 929–942
Ontario, 216–220
Oo, Hawaii, 1206–1208
Oporornis formosus, 132–148, 210–213, 695–714
O. tolmiei, 695–714
optimal foraging theory, 473–486
Oregon, 311–320
Oreomystis mana, 929–942
orientation, 201–209
Oriole de Bullock, 897–906
Oriole, Bullock's, 1010–1023; Golden, 875–877; Jamaican, 1213–1214
Oriolus oriolus, 875–877, 1179–1186
Ornelas, Juan Francisco, et al., Complex vocalizations and aerial displays of the Amethyst-throated Hummingbird (*Lampornis amethystinus*), 1141–1149
Ornismaya longirostris, 897–906
ornithischians, 1187–1201
Oropendola, Casqued, 335–348; Montezuma, 335–348; Russet-backed, 335–348
Ortalis ruficauda, 897–906
Ortego, Brent, see Nebel, Silke, et al.
oscines, 695–714, 1141–1149
Osprey, 812–814
Otus albogularis, 1214–1215
O. asio, 1052–1063
O. centralis, 1214–1215
O. kennicottii, 1214–1215
O. koepckeae, 1214–1215
O. marshalli, 1214–1215
O. seductus, 1214–1215
O. tarda, 1179–1186
Ovenbird, 240–243, 271–279, 414–425, 882–883, 955–970, 1173–1179
Oviraptor, 1–17
Owl, Barn, 515–519; Barred, 1052–1063, 1126–1132; Boreal, 1214–1215; Great Horned, 1052–1063; Long-eared, 1214–1215; Northern Hawk, 1214–1215; Northern Saw-whet, 1159–1161, 1214–1215; Northern Spotted, 321–334; Short-eared, 1214–1215; Snowy, 1214–1215; Spotted, 311–320; Tawny, 321–334; Tengmalm's, 515–519, 544–551; Unspotted Saw-whet, 1214–1215; Ural, 544–551
Owlet, Long-whiskered, 1214–1215
owls, 311–320, 1052–1063
Oxyruncus cristatus, 984–995
Oxyura australis, 403–413
O. jamaicensis, 403–413
O. leucocephala, 1179–1186
O. jamaicensis, 403–413
Oystercatcher, American, 473–486

Pachycephala jacquinoti, 1209–1210
Pachyptila salvini, 88–108
P. turtur, 88–108
P. belcheri, 88–108
P. crassirostris, 88–108
P. desolata, 88–108
P. vittata, 88–108
Pachyramphus marginatus, 658–675
P. polychopterus, 984–995
Page, Roderic D. M., see Kennedy, Martyn, and ——
Pagodroma nivea, 88–108, 266–270
pairing success, 528–532
Palearctic, 1132–1137
paleontology, 1187–1201
Palila, 1206–1208
Panama, 437–445
Pandion haliaetus, 812–814, 1179–1186
Papasula abbotti, 820–826
Paradigalla carunculata, 880–881
Paradigalla, Long-tailed, 880–881
Parakeet, Mitred, 897–906
parasitism, 240–243, 391–402, 556–560, 587–595
parasitized nests, 855–858
Paredes, Rosana, et al., Pattern of egg laying and breeding success in Humboldt Penguins (*Spheniscus humboldti*) at Punta San Juan, Peru, 244–250
parental body condition, 266–270
parental care, 301–310
parental effort, 1064–1074
Parker, Timothy H., Maternal condition, reproductive investment, and offspring sex ratio in captive Red Junglefowl (*Gallus gallus*), 840–845
Parrot, Cuban, 1213–1214; Greater Vasa, 403–413
Parrot-finch, Red-headed, 1209–1210

Parsons, Thomas J., see Johansson, Ulf S., et al.
Partners in Flight, 36–45, 271–279, 907–913
Parula americana, 695–714
P. gutturalis, 695–714
Parulidae, 695–714
Parus ater, 1179–1186
P. atricristatus, 897–906
P. caeruleus, 1091–1103, 1179–1186, 533–539
P. major, 596–602, 1091–1103, 1149–1154
P. montanus, 251–260, 1149–1154
Pasquier, Roger F., see Beehler, Bruce M., et al.
Passer domesticus, 426–436, 533–539, 556–560, 587–595, 929–942, 1179–1186
P. hispaniolensis, 1179–1186
P. moabiticus, 1179–1186
Passerculus sandwichensis, 271–279, 778–789, 1173–1179
Passerella iliaca, 149–165
Passerina amoena, 897–906, 1010–1023
P. caerulea, 897–906
P. ciris, 778–789, 897–906, 1010–1023
P. cyanea, 695–714, 897–906, 1126–1132
P. leclancherii, 897–906
P. rositae, 897–906
P. versicolor, 897–906
passerines, 54–61, 437–445, 446–460, 461–472, 695–714, 715–734, 800–807, 971–983, 1149–1154, 1167–1173, 1173–1179
Patagonia, 233–239
paternal care, 1–17, 379–390
Patten, Michael A., and Unitt, Phillip, Diagnosability versus mean differences of Sage Sparrow subspecies, 26–35
Paul, Don S., see Jehl, Joseph R., Jr., et al.
Peakall, David B., 1931–2001, In Memoriam, 812–814
Peckover, William S., see Coates, Brian J., and ——
Peer, Brian D., et al., Intermediate frequencies of egg ejection by Northern Mockingbirds (*Mimus polyglottos*) sympatric with two cowbird species, 855–858
pelagic, 1162–1166
Pelagodroma marina, 88–108
Pelecanoides garnotti, 88–108
P. georgicus, 88–108
P. mageelani, 88–108
P. urinatrix, 88–108
Pelecanus crispus, 1179–1186
P. erythrorhynchos, 426–436, 1179–1186
Pelican, White, 426–436
Penguin, Adelie, 88–108, 426–436, 1211–1213; African, 244–250; Chinstrap, 88–108; Emperor, 88–108, 1064–1074; Erect-crested, 88–108; Fiordland, 88–108; Galàpagos, 88–108, 244–250; Gentoo, 88–108, 244–250, 1064–1074, 1211–1213; Humboldt, 88–108, 244–250; Jackass, 88–108, 426–436; King, 88–108; Little, 88–108; Little Blue, 244–250; Macaroni, 88–108; Magellanic, 88–108, 233–239, 1064–1074; Rockhopper, 88–108, 1064–1074; Royal, 88–108; Snares Island, 88–108; Yellow-eyed, 88–108, 1137–1141
Penteriani, Vincenzo, et al., Immediate species responses to catastrophic natural disturbances: Windthrow effects on density, nesting stand choice, and fidelity in Northern Goshawks (*Accipiter gentiis*), 1132–1137
Perisoreus infaustus, 1179–1186
Perkins, Alison E. H., see Krapu, Gary L., et al.
Pernis apivorus, 1179–1186
P. celbensis, 596–602
P. ptilorhyncus, 596–602
Peru, 244–250, 362–378
Petrel, Antarctic, 88–108, 266–270; Atlantic, 88–108; Barau's, 88–108; Beck's, 88–108; Bermuda, 88–108; Black, 88–108; Black-capped, 88–108; Black-winged, 88–108; Blue, 88–108; Bonin, 88–108; Bulwer's, 88–108; Cape, 88–108; Cape Verde, 88–108; Chatham Island, 88–108; Collared, 88–108; Cook's, 88–108; Defillipe's, 88–108; Fiji, 88–108; Gadfly, 88–108; Galápagos, 88–108, 897–906; Gould's, 88–108; Great-winged, 88–108; Grey, 88–108; Hawaiian, 88–108, 897–906; Herald, 88–108; Jouanin's, 88–108; Juan Fernandez, 88–108; Kerguelen, 88–108; Kermadec, 88–108; Madeira, 88–108; Magenta, 88–108; Mascarene, 88–108; Mottled, 88–108; Murphy's, 88–108; Phoenix, 88–108; Providence, 88–108; Pycroft's, 88–108; Snow, 88–108, 266–270; Soft-plumaged, 88–108; Stejneger's, 88–108; Tahiti, 88–108; Westland, 88–108; White-chinned, 88–108; White-headed, 88–108; White-necked, 88–108
Petrochelidon fulva, 897–906
P. pallida, 897–906
P. pyrrhonota, 446–460
Pettingill, Olin Sewall, Jr., 1907–2001, In Memoriam, 1104–1107
Peuceddramus taeniatus, 695–714
Phaeothlypis fulvicauda, 695–714
Phaethon lepturus, 882–883
P. rubricauda, 929–942
Phaethornis superciliosus, 897–906
P. griseoventer, 897–906
P. longirostris, 897–906
P. longuemareus, 897–906
P. mexicanus, 897–906
P. ruber, 658–675
P. striigularis, 897–906
P. superciliosus, 132–148
Phainopepla nitens, 770–777
Phalacrocorax africanus, 875–877
P. aristotelis, 827–832, 1179–1186
P. carbo, 1179–1186
P. harrisi, 943–954
P. pelagicus, 820–826
P. pygmaeus, 1179–1186
Phalarope, Red, 36–45; Red-necked, 36–45
Phalaropus fulicarius, 36–45, 897–906, 1179–1186
P. lobatus, 36–45

Pheasant, Crested Fireback, 873–874
Pheobetria fusca, 88–108
Pheucticus ludovicianus, 695–714
Phillips, Richard A., et al., Mating patterns and reversed size dimorphism in Southern Skuas (*Stercorarius skua lonnbergi*), 858–863
Philodice bryantae, 1141–1149
Philomachus pugnax, 1179–1186
philoparty, 132–148, 790–799
Philydor fuscipennis, 897–906
Phoebastria albatrus, 88–108
P. immutabilis, 88–108
P. irrorata, 88–108, 88–108
P. nigripes, 88–108
Phoebe, Eastern, 71–87
Phoebeetria palpebrata, 88–108
Phoenicopterus ruber, 1179–1186
Phoenicurus moussieri, 1179–1186
P. phoenicurus, 1179–1186, 1091–1103
Phyllomyias fasciatus, 715–734
P. griseiceps, 715–734
P. griseocapilla, 715–734
Phylloscopus collybita, 596–602
P. fuscatus, 897–906
P. humei, 897–906
P. inornatus, 897–906
P. sindianus, 596–602
P. trochiloides, 596–602
phylogenetic relationships, 1–17, 26–35, 335–348, 403–413, 603–620, 621–640, 676–684, 695–714, 812–814, 943–954, 984–995
physiological condition, 149–165, 185–200, 201–209, 498–506, 1167–1173
Phytotoma rutila, 984–995
Piaya melanogaster, 658–675
Pica hudsonia, 897–906
P. pica, 790–799, 889–892, 1179–1186
Picman, Jaroslav, et al., Antipredation value of colonial nesting in Yellow-headed Blackbirds, 461–472
Picoides borealis, 71–87, 109–124, 391–402, 907–913
P. pubescens, 71–87, 391–402
P. tridactylus, 391–402
P. villosus, 391–402
Piculus chrysochloros, 658–675
Pietiänen, Hannu, see Brommer, Jon E., et al.
Pigeon, Passenger, 907–913; Plain, 882–883; White-crowned, 882–883
Pinaroloxias inornata, 864–871
Pinguinus impennis, 1211–1213
Pintail, Northern, 403–413, 498–506, 1206–1208; White-cheeked, 403–413; Yellow-billed, 403–413
Pinxten, Rianne, see De Ridder, Elke, et al.
Pionites melanocephala, 658–675
Pionopsitta aurantiocephala, 815–819
P. barrabandi, 815–819
P. caica, 815–819
P. coccinicollaris, 815–819
P. haematotis, 815–819
P. pulchra, 815–819
P. pyrilia, 815–819
P. vulturina, 815–819
Pipilo fuscus, 695–714
Pipra coronata, 132–148
P. erythrocepala, 658–675
P. fasciicauda, 984–995
P. filicauda, 658–675
P. mentalis, 132–148
P. pipra, 132–148, 658–675
P. villasboasi, 815–819
Pipridae, 132–148
Piprites griseiceps, 132–148
Pipromorphinae, 984–995
Piranga flava, 1010–1023
P. ludoviciana, 695–714, 1010–1023
P. olivacea, 414–425, 1010–1023
P. rubra, 1010–1023
Pitta anerythra, 883–888
Pitylus grossus, 658–675
plasma amino acid concentrations, 185–200
Platalea ajaja, 897–906
P. leucordia, 897–906
P. minor, 832–835
P. leucorodia, 1179–1186
Platycercus adelaidae, 596–602
Platycercus elegans, 596–602
P. flaveolus, 596–602
Platyspiza crassirostris, 864–871
Plectoperus gambensis, 403–413
Pleistocene, 1132–1137, 1162–1166
Ploceus cucullatus, 695–714
Plover, Black-bellied, 36–45; Common Ringed, 596–602; Kentish, 515–519; Semipalmated, 596–602
plumage, 149–165, 213–216, 349–361, 362–378, 520–523, 566–572, 603–620, 641–657, 715–734, 770–777, 1010–1023, 1024–1035, 1114–1120; —— manipulation experiment, 1024–1035; —— variation, 520–523
Pluvialis apricaria, 473–486, 1179–1186
P. dominica, 36–45
P. squatarola, 36–45, 1179–1186
Pochard, Australian, 403–413; Red-crested, 403–413; Rosy-billed, 403–413
Podargus feminina, 883–888
P. ocellatus, 883–888
Podiceps auritus, 1179–1186
P. cristatus, 1179–1186
P. grisegena, 1179–1186
P. nigricollis, 1162–1166, 1179–1186
Poecile atricapillus, 391–402, 1149–1154
P. carolinensis, 71–87, 391–402
P. gambeli, 391–402
point count, 18–25, 46–53, 132–148, 955–970
point transects, 46–53
Poirier, Nicole E., see Whittingham, Linda A., et al.
Poland, 566–572
Polioptila caerulea, 1024–1035
Pollock, Kenneth H., see Farnsworth, George L., et al.

polygyny, 125–131, 335–348, 379–390
Polystica stelleri, 403–413, 1179–1186
Pooecetes gramineus, 556–560
Po-ouli, 1206–1208
population, 641–657, 735–748, 770–777, 790–799, 800–807, 914–921, 922–928; —— decline, 109–124, 955–970, 1126–1132; —— density, 166–174, 1154–1161; —— dynamics, 132–148, 778–789; —— fluctuations, 321–334; —— genetics, 621–640; —— rebound, 1162–1166; —— size, 166–174, 1162–1166; —— structure, 641–657, 1132–1137; —— trends, 311–320, 1162–1166
Porphyrio flavirostris, 897–906
P. martinica, 897–906
P. martinicus, 1179–1186
Porphyrula flavirostris, 897–906
P. martinica, 897–906
Powell, Larkin A., see Lang, Jason D., et al.
Poxvirus avium, 929–942
prairie, 556–560
prebasic molt, 1010–1023
precocial, 62–70, 800–807, 1121–1126, 221–227
predation, 461–472, 955–970
predators, 166–174, 955–970, 971–983, 1036–1051, 1126–1132
prey, 922–928; —— availability, 185–200, 266–270; —— capture, 1052–1063; —— population dynamics, 166–174, 185–200; —— selection, 1036–1051; —— size, 473–486
Pribil, Stanislav, see Picman, Jaroslav, et al.
Price, J. Jordan, and Lanyon, Scott M., A robust phylogeny of the oropendolas: Polyphyly revealed by mitochondrial sequence data, 335–348
Prion, Antarctic, 88–108; Broad-billed, 88–108; Fairy, 88–108; Fulmar, 88–108; Medium-billed, 88–108; Slender-billed, 88–108
Procellaria aequinoctialis, 88–108
P. cinerea, 88–108
P. parkinsoni, 88–108
P. westlandica, 88–108
Procellariiformes, 266–270; phylogeny of ——, 88–108
Protarchaeopteryx, 1–17
Protonotaria citrea, 695–714
Provencher, Louis, et al., Effects of hardwood reduction on winter birds in northwest Florida longleaf pine sandhill forests, 71–87
Prum, Richard O., Why ornithologists should care about the theropod origin of birds, 1–17
Prunella modularis, 1179–1186
Psarocolius angustifrons, 335–348, 695–714
P. atrovirens, 335–348
P. decumanus, 335–348
P. oseryi, 335–348, 335–348
P. viridis, 658–675
P. wagleri, 335–348
Psittacidae, 815–819
Psittacus roseicollis, 897–906
Psuedobulweria aterrima, 88–108
P. rostrata, 88–108
Pterocles alchata, 1179–1186
P. coronatus, 1179–1186
P. exustus, 1179–1186
P. lichtensteinii, 1179–1186
P. orientalis, 1179–1186
P. senegallus, 1179–1186
Pterodroma, 88–108
Pterodroma alba, 88–108
P. arminjoniana, 88–108
P. axillaris, 88–108
P. baraui, 88–108
P. becki, 88–108
P. brevipes, 88–108
P. cahow, 88–108
P. cervicalis, 88–108
P. cookii, 88–108
P. defillipiana, 88–108
P. externa, 88–108
P. feae, 88–108
P. hasitata, 88–108, 897–906
P. heraldica, 88–108
P. hypoleuca, 88–108
P. incerta, 88–108
P. inexpectata, 88–108
P. lessonii, 88–108
P. leucoptera, 88–108
P. longirostris, 88–108
P. macgillivrayi, 88–108
P. macroptera, 88–108
P. madeira, 88–108
P. magentae, 88–108
P. mollis, 88–108
P. neglecta, 88–108
P. nigripennis, 88–108
P. phaeopygia, 88–108, 897–906
P. pycrofti, 88–108
P. sandwichensis, 88–108, 897–906
P. solandri, 88–108
P. ultima, 88–108
Pteroglossus azura, 658–675
Ptychoramphus aleuticus, 1036–1051
Puffin, Atlantic, 473–486, 1036–1051; Horned, 1036–1051; Tufted, 1036–1051
Puffinicus bannermani, 88–108
P. heinrothi, 88–108
P. persicus, 88–108
P. assimilis, 88–108
P. auricularis, 88–108
P. bulleri, 88–108
P. carneipes, 88–108
P. creatopus, 88–108
P. gavia, 88–108
P. gravis, 88–108
P. griseus, 88–108
P. huttoni, 88–108
P. lherminieri, 88–108
P. mauretanicus, 88–108
P. nativitatis, 88–108

P. opisthomelas, 88–108
P. pacificus, 88–108
P. puffinus, 88–108
P. puffinus, 1179–1186
P. tenuirostris, 88–108
P. yekouan, 88–108
Pygiptilla stellaris, 658–675
Pygmy-Owl, Northern, 1214–1215; Tamaulipas, 1214–1215
Pygoscelis adeliae, 88–108, 426–436, 1211–1213
P. antarctica, 88–108
P. papua, 88–108, 244–250, 1064–1074, 1211–1213
Pyle, Peter, review by, 290–291
Pyrocephalus rubinus, 1179–1186
Pyroderus scutatus, 984–995
Pyrrhocorax graculus, 858–863, 1179–1186
P. pyrrhocorax, 1179–1186
Pyrrhura eisenmanni, 897–906
P. picta, 897–906

Quail, California, 321–334, 808–810; Common, 461–472; Japanese, 487–497
Quetzal, Eared, 897–906
Quiscalus major, 695–714
Q. quiscula, 461–472, 1091–1103
Qvarnström, Anna, see Badyaev, Alexander V., and ——

radar studies, 914–921
radiotelemetry, 109–124, 261–266, 311–320, 321–334, 349–361, 528–532, 778–789, 914–921, 1064–1074
Rail, Bar-winged, 1209–1210; Yellow, 895–896
Raitt, Ralph J., 1929–2000, In Memoriam, 809–810
Rallicula forbesi, 943–954
R. leucospila, 943–954
R. rubra, 943–954
Ramphastos culminatus, 658–675
R. cuvieri, 658–675
rapid-assessment surveys, 36–45, 749–769
Raposo, Marcos A., see Gaban-Lima, Renato, et al.
Rasmussen, Pamela C., see Banks, Richard C., et al.
Raven, Common, 790–799
Razorbill, 1211–1213
recapture, 1154–1161
recruitment, 996–1009
Recurvirostra avosetta, 1179–1186
Redhead, 403–413
Redstart, American, 109–124, 271–279, 810–811, 1024–1035; Common, 1091–1103; Painted, 1024–1035; Slate-throated, 1024–1035
Regulus inornatus, 897–906
R. regulus, 1091–1103
Reid, J. M., et al., Energetic consequences of clutch temperature and clutch size for a uniparental intermittent incubator: The starling, 54–61
Reinwardtoena crassirostris, 883–888
Remiz pendulinus, 515–519
Remsen, J. V., Jr., see Banks, Richard C., et al.
renal function, 426–436
renesting, 109–124, 149–165, 498–506
repeated sampling, 46–53
repertoire, 523–528
reproduction, 1137–1141, 1149–1154
reproductive, isolation, 596–602, 603–620, 621–640; —— output, 473–486; —— strategy, 498–506; —— success, 109–124, 125–131, 166–174, 185–200, 240–243, 498–506, 544–550, 827–832, 1121–1126; —— tactics, 301–310
resource partitioning, 1052–1063
return rates, 149–165
reversed size-dimorphism, 858–863
Rhea americana, 1179–1186
Rhinocrypta lanceolata, 984–995
Rhipidura fuliginosa, 1024–1035
Ricklefs, Robert E., review by, 1210–1211
Rimmer, Christopher C., review by, 583–584
ring species, 596–602
riparian, 446–460, 1010–1023, 1010–1023; —— forest, 149–165; —— woodlands, 770–777; —— zones, 1149–1154
Ripley, S. Dillon, 1913–2001, In Memoriam, 1110–1113
Rising, James D., see Banks, Richard C., et al.
Rissa tridactyla, 473–486, 1137–1141, 1179–1186
Robert, Michel, et al., Relationship among breeding, molting, and wintering areas of male Barrow's Goldeneyes (*Bucephala islandica*) in eastern North America, 676–684
Robin, American, 175–184, 685–694, 851–854; European, 201–209
Rohwer, Sievert, In Memoriam: Garrett Eddy, 1916–2001, 1107–1109
Rohwer, Sievert, see Butler, Luke K., et al.
Rollandia microptera, 943–954
Rosella, Adelaide, 596–602; Crimson, 596–602; Yellow, 596–602
Rosén, Mikael, and Hedenström, Anders, Soaring flight in the Eleonora's Falcon (*Falco eleonorae*), 835–840
Rosenstock, Steven S., et al., Landbird counting techniques: Current practices and an alternative, 46–53
Ross, Douglas J., see Phillips, Richard A., et al.
Rotenberry, John T., review by, 889–892
Rothery, Peter, see Newton, Ian, and ——
Roulin, Alexandre, Offspring desertion by double-brooded female Barn Owls (*Tyto alba*), 515–519
Rowe, Sherrylynn, see Jones, Ian L., et al.
Russia, 603–620, 1036–1051
Ruxton, G. D., see Reid, J. M., et al.

Safran, Rebecca J., review by, 892–894
Saker, 603–620
Salatas, Johanna, et al., Validation of the labeled-water method for estimating food consumption in nestling herons, 552–556
Saltator coerulescens, 695–714
S. striatipectus, 695–714

Salvadorina waigiuensis, 403–413
sampling, 778–789, 1167–1173; —— effort, 749–769
San Clemente Island, 26–35
San Joaquin Valley, 26–35
Sandberg, Roland, et al., Orientation of nocturnally migrating Swainson's Thrush at dawn and dusk: Importance of energetic condition and geomagnetic cues, 201–209
Sandercock, Brett K., and Jamarillo, Alvaro, Annual survival of wintering sparrows: Assessing demographic consequences of migration, 149–165
Sandercock, Brett K., see Blomqvist, Donald, et al.
Sandpiper, Pectoral, 36–45; Semipalmated, 36–45, 228–233, 914–921; Stilt, 36–45; Upland, 271–279; Western, 228–233, 437–445, 914–921, 922–928
Sapsucker, Red-naped, 391–402; Yellow-bellied, 71–87, 391–402
Sargeant, Glen A., see Krapu, Gary L., et al.
Sas, Christine M., see Brown, Charles R., et al.
Saskatchewan, 498–506
Sauer, John R., see Farnsworth, George L., et al.
Saurothrura pulchra, 943–954
Savard, Jean-Pierre L., see Robert, Michel, et al.
Saxicola dacotiae, 1179–1186
S. jerdoni, 1179–1186
S. rubetra, 1179–1186
S. torquata, 1179–1186
Scaup, Lesser, 62–70, 403–413, 1075–1090
Schiffornis turdinus, 132–148
S. virescens, 984–995, 1114–1120
Schmutz, Joel A., and Laing, Karen K., Variation in foraging behavior and body mass in broods of Emperor Geese (*Chen canagica*): Evidence for interspecific density dependence, 996–1009
Schreiber, E. A., see Friesen, V. L., et al.
Scleromochlus, 1–17
Scolopax minor, 943–954
S. rusticola, 1179–1186
Scoter, Black, 403–413
Scotland, 544–550, 735–748
Scott, J. M., et al. (Eds.), Evolution, Ecology, Conservation, and Management of Hawaiian Birds: A Vanishing Avifauna (rev.), 1206–1208
Screech-Owl, Balsas, 1214–1215; Choco, 1214–1215; Cloud-forest, 1214–1215; Eastern, 1052–1063; Keopcke's, 1214–1215; Western, 1214–1215
Scrub-Jay, Florida, 889–892; Western, 790–799
sea ducks, 676–684
seabirds, 88–108, 266–270, 1036–1051, 1137–1141, 1162–1166
Sealy, Spencer G., see Kasumovic, Michael M., et al.
Sealy, Spencer G., see Lorenzana, Janice C., and ——
Sealy, Spencer G., see Peer, Brian D., et al.
Seamans, Mark E., et al., Mexican Spotted Owl (*Strix occidentalis*) population dynamics: Influence of climatic variation on survival and reproduction, 321–334
second brood, 125–131, 515–519
secondary sexual characters, 487–497
Sedinger, James S., et al., Life-history implications of large-scale spatial variation in adult survival of Black Brant (*Branta bernicla nigricans*), 510–515
seed dispersal, 132–148, 175–184
Seiurus aurocapillus, 132–148, 240–243, 271–279, 414–425, 695–714, 882–883, 955–970, 1173–1179
S. noveboracensis, 695–714
Selasphorus rufus, 877–880, 1167–1173
S. sasin, 877–880
S. scintilla, 1141–1149
Selecidis melanoleca, 880–881
selection, 1010–1023; directional ——, 301–310, 641–657; natural ——, 800–807; sexual ——, 213–216, 403–413, 596–602, 676–684, 858–863, 1141–1149
selfish-herd hypothesis, 461–472
Selmi, Slaheddine, et al., Richness and composition of oasis bird communities: Spatial issues and species–area realtionships, 533–539
Serinus serinus, 533–539
Setophaga ruticilla, 109–124, 271–279, 695–714, 810–811, 1024–1035
sex, 216–220, 437–445, 922–928; —— differences, 487–497; —— ratio, 125–131, 149–165, 561–566; —— roles, 515–519
sexing, 125–131
sexual displays, 301–310
sexual size dimorphism, 335–348
Shag, European, 827–832
Shearwater, Audubon's, 88–108; Bannerman's, 88–108; Black-vented, 88–108; Buller's, 88–108; Christmas Island, 88–108; Cory's, 88–108; Fleshfooted, 88–108; Fluttering, 88–108; Great, 88–108; Heinroth's, 88–108; Hutton's, 88–108; Little, 88–108; Manx, 88–108; Mediterranean, 88–108; Persian, 88–108; Pink-footed, 88–108; Short-tailed, 88–108; Sooty, 88–108; Streaked, 88–108; Townsend's, 88–108, 1206–1208; Wedge-tailed, 88–108
Sheldgoose, Upland, 403–413
Shelduck, Australian, 403–413; Cape, 403–413
Shirihai, Hadoram, et al., Raptor Migration in Israel and the Middle East: A Summary of 30 Years of Field Research (rev.), 284–288
shorebirds, 36–45, 914–921, 922–928
Shoveler, Australian, 403–413; Northern, 403–413
Shrike, Great Grey, 533–539
Shutt, J. Laird, see Herbert, Craig E., et al.
Shuvuuia, 1–17
Sialia currucoides, 391–402
S. sialis, 71–87, 109–124, 391–402, 845–851
Siberia, 596–602
Silvereyes, 175–184, 251–260
Simons, Theodore R., see Farnsworth, George L., et al.
Sinornithosaurus, 1–17
Sinosauropteryx, 1–17
site fidelity, 149–165
Sitta canadensis, 391–402

S. krueperi, 1179–1186
S. pusilla, 71–87
S. tephronata, 1179–1186
Sittasomus griseicapillus, 621–640
Skerrett, Adrian, and Bullock, Ian, Birds of the Seychelles (rev.), 875–877
Skua, Great, 858–863; South Polar, 266–270; Southern, 858–863
Sky Lark, 596–602; Japanese, 596–602; Oriental, 596–602
Smew, 403–413
Smith, S. M., see McMartin, B., et al.
Smythies, Bertram E., The Birds of Borneo (rev.), 873–874
Snipe, Wilson's, 897–906
soaring flight, 835–840
social dominance, 437–445
social signaling, 1024–1035
social systems, 770–777, 790–799
Sodhi, Navjot S., Competition in the air: Birds versus aircraft, 587–595
Somateria fisheri, 676–684
S. molissima, 62–70, 403–413, 1179–1186
S. spectabilis, 62–70, 403–413, 895–896, 1179–1186
song development, 523–528
song dialect, 149–165
song variation, 523–528
songs, 487–497, 566–572, 1141–1149
South Africa, 251–260
South Island, New Zealand, 1137–1141
Spain, 54–61, 213–216, 790–799
Sparrow, Bachman's, 71–87; Cassin's, 1010–1023; Chipping, 71–87, 685–694; Clay-colored, 556–560; Field, 556–560, 1126–1132; Fox, 149–165; Golden-crowned, 149–165; Grasshopper, 271–279, 556–560; Henslow's, 271–279; House, 426–436, 533–539, 556–560, 587–595, 929–942; Lark, 271–279, 556–560; Lincoln's, 149–165; Puget Sound White-crowned, 149–165; Rufous-winged, 1010–1023; Savanna, 271–279, 778–789, 1173–1179; Seaside, 149–165; Song, 149–165, 561–566, 641–657; Vesper, 556–560; White-throated, 149–165, 539–543
Sparrowhawk, Eurasian, 790–799
spatial scales, 166–174, 271–279
speciation, 88–108, 596–602
species, 520–523, 596–602; —— diversity, 1052–1063; —— richness, 71–87, 533–539, 621–640, 749–769
species–area relationship, 533–539
sperm competition, 403–413
sperm length, 228–233
Spheniscus demersus, 88–108, 244–250, 426–436
S. humboldti, 88–108, 244–250
S. magellanicus, 88–108, 233–239, 1064–1074
S. mendiculus, 88–108, 244–250
Sphyrapicus nuchalis, 391–402
S. varius, 391–402
Spindalis puertoricansis, 882–883
S. zena, 695–714, 810–811
Spindalis, Puerto Rican, 882–883
Spiza americana, 556–560, 695–714, 851–854
Spizella arborea, 1179–1186
S. breweri, 695–714
S. pallida, 556–560
S. passerina, 71–87, 685–694
S. pusilla, 556–560, 1126–1132
Spoonbill, Black-faced, 832–835
Sporophila corvina, 897–906
S. schistacea, 695–714
spot mapping, 46–53, 749–769
spring migration, 216–220
Stanley, Maragret C., and Lill, Alan, Importance of seed ingestion to an avian frugivore: An experimental approach to fruit choice based on seed load, 175–184
Starling, European, 54–61, 391–402, 487–497, 587–595; 800–807, 889–892, 1091–1103, 1202–1205
Steadman, David W., review by, 1209–1210
Steeves, T. E., see Friesen, V. L., et al.
Steinen, Eric W. M., and Brenninkmeijer, Alex, Foraging decisions of Sandwich Terns in the presence of kleptoparasitising gulls, 473–486
Stellula calliope, 845–851
Stercorarius parasiticus, 858–863
S. pomarinus, 603–620
S. skua, 858–863
Sterna albifrons, 875–877
S. anaethetus, 875–877, 1179–1186
S. bengalensis, 1179–1186
S. bergii, 1179–1186
S. caspia, 1179–1186
S. hirundo, 1179–1186
S. nereis, 875–877
S. paradisaea, 895–896, 1179–1186
S. respressa, 1179–1186
S. sandvicensis, 473–486, 1179–1186
Stictonetta naevosa, 403–413
Stonechat, European, 1167–1173
stopover sites, 149–165, 201–209, 210–213, 437–445, 1154–1161
Storer, Robert W., The Metazoan Parasite Fauna of Grebes (Aves: Podicipediformes) and its Relationship to the Birds' Biology (rev.), 881–882
Storm-Petrel, Ashy, 88–108; Band-rumped, 88–108; Black, 88–108; Black-bellied, 88–108; European, 88–108; Fork-tailed, 88–108, 1036–1051; Grey-backed, 88–108; Guadalupe, 88–108; Leach's, 88–108, 1036–1051; Least, 88–108; Markham's, 88–108; Matsudaira's, 88–108; Polynesian, 88–108; Ringed, 88–108; Swinhoe's, 88–108; Tristam's, 88–108; Wedge-rumped, 88–108; White-bellied, 88–108; White-faced, 88–108; White-vented, 88–108; Wilson's, 88–108, 875–877
Stotz, Douglas F., see Banks, Richard C., et al.
Streptopelia decacto, 897–906
S. senegalensis, 533–539
S. turtur, 533–539
Stringops habroptilus, 888–889

Strix alluco, 321–334
S. nebulosa, 1179–1186
S. occidentalis, 311–320
S. tengmalmi, 515–519, 544–551
S. uralensis, 544–551, 1179–1186
S. varia, 1052–1063, 1126–1132
Struthio camelus, 1179–1186
Sturnella magna, 271–279, 556–560, 855–858
S. neglecta, 271–279, 335–348, 556–560, 695–714, 855–858
Sturnus vulgaris, 54–61, 391–402, 487–497, 587–595, 800–807, 889–892, 1091–1103, 1179–1186, 1202–1205
Stutchbury, Bridget J., see Norris, D. Ryan, and ——
Styrsky, John D., et al., Sources of egg-size variation in House Wrens (*Troglodytes aedon*): Ontogenetic and environmental components, 800–807
suboscine, 362–378
subspecies, 26–35, 149–165, 621–640, 641–657
Sula bassanus, 1137–1141
S. dactylatra, 820–826
S. granti, 820–826
S. leucogaster, 820–826
S. nebouxii, 820–826
S. sula, 820–826, 1213–1214
S. variegata, 820–826
Sunangle, Royal, 1141–1149
sunbird, 251–260
Sunbird, Lesser Double-collared, 251–260; Malachite, 251–260
surivorship, adult, 233–239
Surnia ulula, 1214–1215
survival, 62–70, 109–124, 778–789, 996–1009; —— rate, 132–148, 321–334, 510–515
survivorship, estimate of, 149–165
Sutton, Ann Haynes, review by, 882–883
Svarthamaren, 266–270
Swallow, Barn, 213–216, 566–572, 1010–1023; Cliff, 446–460; Tree, 125–131, 391–402, 845–851, 1173–1179
Swan, Black, 403–413; Mute, 403–413; Tundra, 403–413; Costa Rican, 897–906
Swiftlet, Mariana, 897–906
Sylvia atricapilla, 175–184
S. borin, 437–445, 1179–1186
S. hortensis, 533–539
S. melanocephala, 1179–1186
S. mystecea, 1179–1186
Symanski, Richard, Blackhearts: Ecology in Outback Australia (rev.), 577–580
sympatry, 996–1009, 1052–1063
Syrrhaptes paradoxus, 1179–1186

Tachybaptus rufficollis, 1179–1186
Tachycineta bicolor, 125–131, 391–402, 845–851, 1173–1179
Tachyphonus cristatus, 658–675
Tadorna cana, 403–413
T. ferruginea, 1179–1186
T. tadornoides, 403–413
Taeniopygia guttata, 487–497, 566–572
Takekawa, John Y., see Nebel, Silke, et al.
Tanager, Hepatic, 1010–1023; Scarlet, 414–425, 1010–1023; Stripe-headed, 810–811; Summer, 1010–1023; Western, 1010–1023
Tangara d'Haiti, 897–906
Tangara velia, 658–675
Tanzania, 749–769
target ecosystem, 271–279
tarsometatarsus, 1052–1063
tarsus, 62–70
tarsus length, 125–131, 185–200
Tarvin, Keith A., and Garvin, Mary C., Habitat and nesting success of Blue Jays (*Cyanocitta cristata*): Importance of scale, 971–983
Taylor, Philip, see Jones, Ian L., et al.
Teal, Blue-winged, 403–413; Chestnut, 403–413; Cinnamon, 403–413; Gray, 403–413; Green-winged, 403–413; Silver, 403–413; Speckled, 403–413
teeth, 1187–1201
Terenotriccus erythrurus, 1024–1035
Teretistris fernandinae, 695–714
Tern, Arctic, 895–896; Bridled, 875–877; Fairy, 875–877; Sandwich, 473–486
territorial display, 461–472, 1024–1035
territoriality, 379–390
territories, 149–165, 528–532, 566–572, 770–777, 790–799, 1075–1090, 1149–1154
territory quality, 125–131
Tetrao mlokosiewiczi, 1179–1186
T. tetrix, 1179–1186
T. urogallus, 1179–1186
Tetraogallus caspius, 1179–1186
T. caucasicus, 1179–1186
Tetrax tetrax, 1179–1186
Tewksbury, Joshua J., see Cilimburg, Amy B., et al.
Texas, 26–35
Thalassarche bassi, 88–108
T. bulleri, 88–108
T. cauta, 88–108
T. chlororhynchos, 88–108
T. eremita, 88–108
T. impavida, 88–108
T. melanophris, 88–108
T. salvini, 88–108
Thalassoica antarctica, 88–108, 266–270
Thalassornis leuconotus, 403–413
Thalurania furcata, 658–675
Thamnomanes caesius, 658–675
Thamnophilus aethiops, 658–675
T. amazonicus, 658–675
T. caerulescens, 984–995
thecodont, 1–17
thermogenesis, 62–70
thermoneutral zone, 251–260
thermoregulation, 62–70, 185–200, 213–216, 251–260, 845–851, 1091–1103, 1121–1126

theropod origin of birds, 1–17, 1187–1201
Thompson, Charles F., see Styrsky, John D., et al.
Thompson, Jonathan E., and Ankney, C. Davison, Role of food in territoriality and egg production of Buffleheads (*Bucephala albeola*) and Barrow's Goldeneyes (*Bucephala islandica*), 1075–1090
Thompson, William L., Towards reliable bird surveys: Accounting for birds present but not detected, 18–25
Thornbill, Brown, 596–602; Tasmanian, 596–602
Thrasher, Curve-billed, 864–871, 1010–1023
Thraupis episcopus, 695–714
T. palmarum, 658–675
Thrush, Cayman, 1213–1214; Hermit, 71–87, 955–970, Hermit, 971–983; Swainson's, 201–209, 685–694; Wood, 109–124, 414–425, 851–854, 1126–1132
thrushes, 808–810
Thryothorus leucotis, 658–675
T. ludovicianus, 895–896
Tiaris bicolor, 695–714
T. obscura, 864–871
tidal marsh, 641–657
time–activity budgets, 1064–1074
time-allocation hypothesis, 149–165
Tit, Blue, 533–539, 1091–1103; Great, 596–602, 1091–1103, 1149–1154; Penduline, 515–519; Willow, 251–260, 1149–1154; Black-crested, 897–906
Titmouse, Bridled, 1149–1154; Tufted, 71–87
Tityra cayana, 658–675, 984–995
Tityrinae, 984–995
Todirostum cinereum, 984–995
Tolmomyias, 658–675
Torgos tracheliotus, 1179–1186
Toxostoma curvirostre, 864–871, 897–906, 1010–1023
T. palmeri, 897–906
Tree-finch, Large, 596–602; Medium, 596–602
Triga erythropus, 1179–1186
Triller, Pied, 596–602; Sulawesi, 596–602; White-shouldered, 596–602
Tringa cinerea, 1179–1186
T. glareola, 1179–1186
T. hypoleucos, 1179–1186
T. nebularia, 1179–1186
Troglodytes aedon, 125–131, 391–402, 414–425, 461–472, 800–807
T. troglodytes, 414–425
Trogon melanurus, 658–675
T. violaceus, 658–675
T. viridis, 658–675
Troodon formosus, 1–17
tropical communities, 132–148, 658–675, 749–769
tropical rain forests, 132–148
Tropicbird, Red-tailed, 929–942; White-tailed, 882–883
Tucker, G. M., and Heath, M. F., review by, 284–288
Turdus merula, 533–539, 1091–1103
T. migratorius, 175–184, 685–694, 851–854, 1179–1186
T. pilaris, 1179–1186
T. ravidus, 1213–1214
T. ruficollis, 1179–1186
T. torquatus, 1179–1186
Turkey, Wild, 301–310
Turnstone, Black, 1179–1186; Ruddy, 36–45
Turtledove, European, 533–539
Turus merula, 735–748
Tveraa, Torkild, and Christensen, Guttorm N., Body condition and parental decisions in the Snow Petrel (*Pagodroma nivea*), 266–270
Twomey, Arthur C., 1908–1996, In Memoriam, 811–812
Tyranneutes stolzmanni, 658–675
Tyrannidae, 984–995
Tyrannoidea, 984–995
Tyrannus caudifasciatus, 897–906
T. melancholicus, 658–675
T. savana, 984–995
Tyranunulus elatus, 658–675
Tyto alba, 515–519, 883–888
T. punctatissima, 1214–1215

Ueta, Mutsuyuki, and Higuchi, Hiroyoshi, Difference in migration pattern between adult and immature birds using satellites, 832–835
Unfried, Thomas M., reivew by, 889–892
United Kingdom, 587–595
United States Endangered Species Act, 641–657
Unitt, Phillip, see Patten, Michael A., and ——
Upupa epops, 533–539
Uria aalge, 820–826, 1064–1074, 1179–1186
Uria lomvia, 820–826, 827–832, 1064–1074, 1137–1141, 1179–1186
Uribe, Jorge, see Ornelas, Juan Francisco, et al.
Utah, 1162–1166

Valkenaar, Stacy M., see Whittingham, Linda A., et al.
Valqui, Thomas, see Isler, Morton L., et al.
van Riper, Charles III, et al., Epizootiology and effect of avian pox on Hawaiian forest birds, 929–942
van Riper, Sandra G., see van Riper, Charles III, et al.
Vander Haegen, W. Matthew, and DeGraaf, Richard M., Daily energy expenditure of Ovenbirds (*Seiurus aurocapillus*) feeding nestings, 1173–1179
Vanellus vanellus, 473–486, 1179–1186
variable circular-plots, 46–53
variable-distance transect, 46–53
Veery, 414–425, 851–854
Velociraptor, 1–17
Vermivora chrysotera, 895–896
V. peregrina, 210–213, 216–220
V. pinus, 895–896
V. ruficapilla, 695–714
Vestiaria coccinea, 929–942
Violet-ear, Sparkling, 1141–1149
Vireo gilvus, 685–694
V. griseus, 210–213

V. latimeri, 695–714
V. olivaceus, 414–425, 658–675
V. solitarius, 414–425
V. vicinior, 1010–1023
Vireo, Blue-headed, 71–87, 414–425; Gray, 1010–1023; Red-eyed, 414–425; Warbling, 685–694, 1010–1023; White-eyed, 210–213
vocal dialects, 349–361
vocal improvization, 523–528
vocalization, 335–348, 362–378, 603–620, 873–874, 1141–1149
Volatinia jacarina, 695–714
Vultur californianus, 812–814
Vulture, Turkey, 426–436

Wagtail, Yellow, 1179–1186
Wallace, George E., review by, 291–293
Walters, Eric L., review by, 293–295
Walther, Bruno A., Grounded ground birds and surfing canopy birds: Variation of foraging stratum breadth observed in Neotropical forest birds and tested with simulation models using boundary constraints, 658–675
Warbler, Adelaide's, 882–883; African Reed, 379–390; Aquatic, 379–390; Bay-breasted, 216–220; Blackburnian, 414–425; Black-throated Blue, 109–124, 414–425, 1173–1179; Black-throated Green, 414–425; Blue-winged, 895–896; Cape May, 216–220, 882–883; Chestnut-sided, 271–279, 523–528; Fantailed, 533–539; Garden, 437–445; Golden-winged, 895–896; Great Reed, 561–566; Greenish, 596–602; Henderson, 379-390; Hermit, 1010–1023; Hooded, 414–425, 528–532, 895–896; Kentucky, 210–213; Mangrove, 149–165; Moustached, 379–390; Olivaceous, 533–539; Orphean, 533–539; Palm, 71–87; Pine, 71–87; Prairie, 778–789, 1213–1214; Sedge, 201–209; Seychelles, 379–390; Tennessee, 210–213, 216–220; Townsend's, 1010–1023; Vitelline, 1213–1214; Wilson's, 210–213; Yellow, 561–566, 149–165, 778–789, 851–854; Yellow-browed, 897–906; Yellow-rumped, 71–87
Ward, Andrea B., et al., Functional morphology of raptor hindlimbs: Implications for resource partitioning, 1052–1063
Ward, David H., see Sedinger, James S., et al.
Warnock, Niles, see Nebel, Silke, et al.
Warnock, Sarah E., see Nebel, Silke, et al.
Warren, Paige S., Geographic variation and dialects in songs of the Bronzed Cowbird (*Molothrus aeneus*), 349–361
Washington, 311–320
Wasserman, Frederick E., see Hersek, Marta J., et al.
waterfowl, 62–70, 149–165
Watling, Dick, Guide to the Birds of Fiji and Western Polynesia (rev.), 1209–1210
Watts, Bryan D., see Whalen, David M., and ——
Waxwing, Cedar, 175–184, 851–854
Weigl, Peter D., see Ward, Andrea B., et al.
Wells, Jeffrey, review by, 1208–1209
Wenny, Dan, review by, 295–296
West Virginia, 1126–1132
Whalen, David M., and, Watts, Bryan D., Annual migration density and stopover patterns of Northern Saw-whet Owls (*Aegolius acadicus*), 1154–1161
Wheatear, Northern, 1173–1179
Whimbrel, 36–45
Whisler, Trogan, 1209–1210
White winged Scoter, 62–70
White-eye, Japanese, 929–942
Whitney, Bret M., see Aleixo, Alexandre, and ——
Whitney, Bret M., see Isler, Morton L., et al.
Whittingham, Linda A., et al., Maternal condition and nestling sex ratio in House Wrens, 125–131
Wiebe, K. L., see Aitken, K. E. H., et al.
Wigeon, American, 403–413; Chiloe, 403–413; Eurasian, 895–896; European, 403–413
Williams, Gary E., see Salatas, Johanna, et al.
Williams, Gray E., and Wood, Peter Bohall, Are traditional methods of determining nest predators and nest fates reliable? An experiment with Wood Thrushes (*Hylocichla mustelina*) using miniature video cameras, 1126–1132
Williams, J. C., see Hunter, F. M., et al.
Williams, Tony D., see Guglielmo, Christopher G., et al.
Wilsonia canadensis, 695–714
W. citrina, 414–425, 528–532, 895–896
W. pusilla, 210–213
wing evolution, 943–954
wing-patch size, 566–572
Wink, Michael, see Leisler, Bernd, et al.
Winkler, Hans, see Leisler, Bernd, et al.
Wisconsin, 125–131, 1121–1126
Wood, Peter Bohall, see Williams, Gray E., and ——
Woodcock, American, 1104–1107
Woodcreeper, Black-striped, 621–640; Buff-throated, 621–640; Chestnut-rumped, 621–640; Cocoa, 621–640; Elegant, 621–640; Ivory-billed, 621–640; Lafresnaye's, 621–640; Lesser, 621–640; Ocelated, 621–640; Olived-backed, 621–640; Spix's, 621–640; Spotted, 621–640; Straight-billed, 520–523; Striped, 621–640; Tschudi's, 621–640; Zimmer's, 520–523, 621–640
Woodfordia superciliosa, 883–888
Woodpecker, Acorn, 790–799; Downy, 71–87, 391–402; Great Spotted, 391–402; Hairy, 71–87, 391–402; Lewis's, 895–896; Pileated, 391–402, 414–425; Red-bellied, 71–87, 391–402; Red-cockaded, 71–87, 109–124, 391–402, 907–913; Red-headed, 391–402; Three-toed, 391–402
Wood-Pewee, Western, 1010–1023
Woods, Robin W., see Kroodsma, Donald E., et al.
Woolfenden, Bonnie E., see Kasumovic, Michael M., et al.
Wren, Apolinar's, 523–528; Carolina, 895–896; Falkland Island Sedge, 523–528; House, 71–87, 125–131, 391–402, 414–425, 461–472, 800–807; Marsh,

461–472, 523–528; Merida, 523–528; Sedge, 523–528; Winter, 414–425

Xanthocephallus xanthocephallus, 461–472
Xanthotis provocator, 1209–1210
Xenoglaux loweryi, 1214–1215
Xenoligea montana, 695–714
Xiphocolaptes promeropirhynchus, 621–640
Xipholena punicea, 658–675
Xiphorhynchus chunchotambo, 621–640
X. eburneirostris, 621–640
X. elegans, 621–640
X. erythropygius, 621–640
X. flavigaster, 621–640
X. guttatoides, 621–640
X. guttatus, 621–640, 658–675
X. kienerii, 621–640
X. lachrymosus, 621–640
X. obsoletus, 621–640, 658–675
X. ocellatus, 621–640
X. pardalotus, 621–640
X. picus, 621–640
X. spixii, 621–640
X. susurrans, 621–640
X. triangularis, 621–640
X. necopinus, 520–523
X. picus, 520–523

Yellowbill, African, 403–413
Yorio, Pablo, see Borboroglu, Pablo García, et al.
Yukon-Kuskokwim Delta, 996–1009

Zavalaga, Carlos B., see Paredes, Rosana, et al.
Zeledonia coronata, 695–714
Zenaida asiatica, 897–906
Z. aurita, 882–883
Z. macroura, 851–854
Z. meloda, 897–906
Zimmerius gracilipes, 658–675
Zink, Robert M., A new perspective on the evolutionary history of Darwin's finches, 864–871
Zonotrichia albicolis, 149–165, 539–543
Z. atricapilla, 149–165
Z. capensis, 695–714
Z. leucophyrus, 149–165
Z. capensis, 695–714
Zosterops japonicus, 929–942
Z. lateralis, 175–184, 251–260

DATE OF ISSUE (Vol. 119, No. 4): 23 January 2003